INDEX TO VOLUME 43

The asterisk (*) preceding the page number indicates an original article in the Archives. Subject entries are made for all articles. Author entries are made for original articles and society transactions. Book Reviews, Editorials, Obituaries and Society Transactions are indexed under these headings in their alphabetical order under the letters B, E, O and S, respectively.

Abdomen, herpes zoster abdominalis associated with generalized varicella-like eruption, 598
Abnormalities and Deformities: See under names of diseases, organs and regions, as Atrophy; Ectodermal Defect; Fingers and Toes, abnormalities; Hair; Pigmentation; Skin, abnormalities; etc.
Abramowitz, E. W.: Erythema multiforme bullosum, 897
  Fixed eruptions from various drugs and other agents; polyvalent specific sensitivity, *672
  Hodgkin's disease with eczematoid lesions, 868
  Pemphigus; case for diagnosis, 863
Abscess: See under names of organs and regions
Acanthosis nigricans, case for diagnosis, 912
  nigricans, nonpigmented; case for diagnosis, 1085
Acetanilid, fixed eruptions from various drugs and other agents; polyvalent specific sensitivity, *672
Acetylcholine: See Choline and Choline Derivatives
Achromia: See Vitiligo
Acid, Acetylsalicylic: See Salicyl Compounds
  Ascorbic: See Vitamins, C
  Barbituric: See Barbital and Barbital Derivatives
  Cevitamic: See Vitamins, C
  nicotinic; dermatitis simulating subacute lupus erythematosus; treatment by nicotinic acid (vitamin P-P factor), 855
  small necrotic lesions of left hand and wrist; case for diagnosis, 411
Acidosis, experimental investigation of influence of alimentary acidosis on rabbit syphilis; influence of acidosis on inoculation lesion of back, 1019
Acne, acneform lupus miliaris of face, 855
  blepharochalasis secondary to rosacea; tertiary syphilis (aortic insufficiency); Parkinson's disease, 1081
  lipomatosis dolorosa (Dercum's disease) for 21 years with rosacea for 18 years, 1096
  methods employed in management of common dermatoses, 392
  necrotica, tar acne, oil acne or iododerma, 1028
  rosacea or rosacea-like tuberculid, 433
  rosacea with keratitis or rosacea-like tuberculid of Lewandowsky, 193
  tar acne, oil acne, iododerma or acne necrotica, 1028
  urticaria; case for diagnosis, 872
  vulgaris and sulfathiazole, *622
  vulgaris of face; keratosis follicularis (Darier), 594
  vulgaris; sugar metabolism in acne vulgaris, and its treatment by insulin, 712
  vulgaris; vitamin D therapy in dermatology, *145
Acridine Dyes, acriflavine; fixed eruptions from various drugs and other agents; polyvalent specific sensitivity, *672
Acriflavine: See Acridine Dyes
Acrodermatitis chronica atrophicans, 586
  chronica atrophicans, scleroderma or dermatomyositis, 1026
  chronica atrophicans with tumor formation, 1054
Acrodynia, 870, 883, 1031
  pink disease (erythredema polyneuritis; infantile acrodynia), 168
Acrokeratosis: See Keratosis
Acromegaly with xanthoma diabeticorum, 583
Actinodermatitis: See Roentgen Rays
Actinomycosis, 402, 910, 1095
  pseudoactinomycotic epithelioma of face, *809
Adenitis: See Lymph Nodes
Adenocarcinoma of stomach with metastasis to liver; basal cell epithelioma of forehead, 734
Adenoma, dermatologic aspects of tuberous sclerosis, *1
Adie Syndrome: See Reflex, pupillary
Adipose Tissue: See Fat; Lipoma
Adiposis Dolorosa, lipomatosis dolorosa (Dercum's disease) for 21 years with rosacea for 18 years, 1096
Adolescence, lupus erythematosus in adolescent girl, 1022
Adrenal Preparations, epinephrine hypersensitivity, 852
Age, dermatitis herpetiformis; influence of age on incidence and type of lesions, *248
  effect on spread of dye in skin of normal, antigenically stimulated, and tuberculous guinea pigs, 710
  Old: See Old Age
Ainhum, case for diagnosis, 578
Albinism: See Vitiligo
Alden, H. S.: Roentgen ray treatment of eye; effect of fractional doses in 100 cases; preliminary report, *92
Alkyl Sulfates, sulfonated oil as detergent for diseases of skin, *435
  toilet soaps, soap substitutes and hard water; study of various combinations by patch tests, *299
Allergy: See Anaphylaxis and Allergy
Allington, H. V.: Epidermolysis bullosa, 880
  Keratosis follicularis (Darier), 884
  Lichen planus with involvement of palms and soles, 875
  Tuberculosis cutis orificialis, 716
Allonal, dermatitis medicamentosa following ingestion of allylisopropylbarbituric acid (allonal), 207
Alopecia areata (bandlike), 417
  cicatrisata; pseudopelade of Brocq; case for diagnosis, 174
  cicatrisata; pseudopelade; vitamin A deficiency, 566
  experimental thallium alopecia (role of endocrines), 396
  hereditary hypotrichosis in rat (Mus norvegicus), 167
  tinea capitis complicated by cicatrizing alopecia, 1048
  totalis, 209
  transplantation of living hairs on thinly hairy or bald areas in human beings, 557
Aluminum and Aluminum Compounds, control of axillary hyperhidrosis by aluminum phenolsulfonate, *539
American Board of Medical Specialties, Dr. C. Guy Lane honored by, 550
Amersbach, J. C.: Skin respiration as dermatologic tool, *949
de Amicis Syndrome: See Prurigo

Aminopyrine, fixed eruptions from various drugs and other agents; polyvalent specific sensitivity, *672
Amshell, F.: Angioma serpiginosum, 1032
Amyloidosis cutis, 904
Anaphylaxis and Allergy: See also Arthus Phenomenon; and under names of various diseases, as Eczema; Rhus, poisoning; etc.
bacterial allergy; etiologic factor in dermatitis herpetiformis, *956
cold allergy and cold pathergy, *366
contact reactions in atopy; incidence of contact reactions with various allergens, 553
cutaneous sensitization to arsphenamine; attempts to induce anaphylactic state with different arsphenamines; its production with conjugate arsphenamine antigen, and incidental relation between anaphylactic and cutaneous hypersensitivity, *103
fixed eruptions from various drugs and other agents; polyvalent specific sensitivity, *672
late, or delayed, reactions to patch tests, *636
lupus erythematosus, allergic and hyperergic manifestation, 555
toilet soaps, soap substitutes and hard water; study of various combinations by patch tests, *299
Andrews, G. C.: Dermatitis of right foot; case for diagnosis, 859
Dermatomyositis, 1040
Lupus erythematosus and lipogranulomatosis, 726
Androgens, variations in effectiveness of percutaneously applied androgens in rat, 166
Anemia, fatal aplastic anemia following use of mapharsen; report of case, *111
"pigeon dermatitis"; vitamin B deficiency state with anemia, 852
Anetoderma: See Atrophy
Aneurysm of popliteal artery in patient with tertiary syphilis, aortitis and aortic aneurysm, 201
Angioma of breast, 716
serpiginosum, 1032
Anhidrosis: See Sweat Glands
Antimony and Antimony Compounds, fixed eruptions from various drugs and other agents; polyvalent specific sensitivity, *672
Antipyrine, fixed eruptions from various drugs and other agents; polyvalent specific sensitivity, *672
Aorta, blepharochalasis secondary to rosacea; tertiary syphilis (aortic insufficiency); Parkinson's disease, 1081
juxta-articular nodules, tertiary syphilis with aortic insufficiency and dermatitis due to mercupurin, 206
Aortic Valve, bacterial endocarditis and syphilis of, 1016
prognosis in syphilitic aortic insufficiency; evaluation of factors other than antisyphilitic treatment, 1016
Aortitis, aneurysm of popliteal artery in patient with tertiary syphilis, aortitis and aortic aneurysm, 201
coronary embolism; complication of syphilitic aortitis, 708
Aphthae: See Stomatitis
Apparatus, high frequency current in treatment of hypertrichosis, *85
Appel, B.: Chancroid, 572
Erythema figuratum, 571
Keratosis follicularis (Darier), 561
Keratosis follicularis, lichen scrofulosum or tuberculids, 914
Lichen planus or pellagra, 917
Mal perforans; tabes dorsalis, 561
Multiple vitamin deficiency, 918
Sarcoid, 172
Tertiary syphilis of skin or erythema induratum, 570
Applestein, R.: Psoriasis; epitheliomas, possibly from long use of arsenic, 599
Ariboflavinosis: See Vitamins, B
Arnold, H. L., Jr.: Urticaria solaris; review of literature and report of case, *607
Arsenic and Arsenic Compounds: See also Arsphenamines; Tryparsamide
bullous fixed arsenical eruption of mouth, 426
exfoliative dermatitis, postarsenical, 213
fixed eruptions from various drugs and other agents; polyvalent specific sensitivity, *672
lichenoid fixed arsenical eruption, 426
psoriasis; epitheliomas, possibly from long use of arsenic, 599
Therapy: See under Syphilis
Arsphenamines, cutaneous sensitization to arsphenamine; attempts to induce anaphylactic state with different arsphenamines; its production with conjugate arsphenamine antigen, and incidental relation between anaphylactic and cutaneous hypersensitivity, *103
dermatitis, 413
dermatitis and ascorbic acid; experimental study, *682
fatal aplastic anemia following use of mapharsen; report of case, *111
liver damage after recovery from postarsphenamine jaundice, 709
liver injury modified by diet, protein and carbohydrate protective, but fat injurious, 165
purpura haemorrhagica due to, 1016
purpura haemorrhagica following neoarsphenamine and bismarsen therapy; further studies on sensitivity to arsphenamine and tolerance to mapharsen, 391
Therapy: See under Syphilis
Arteriosclerosis plus necrobiosis lipoidica diabeticorum, 1094
Arthritis: See also Gout
arsphenamine dermatitis, 413
the gods do nod at times, 389
Arthur, R. D.: Fixed eruptions; report of unusual condition due to sulfanilamide, *692
Arthus Phenomenon, site of sensitivity in, 392
Ascorbic Acid: See Vitamins, C
Asthma: See Anaphylaxis and Allergy
Astrachan, G. D.: Squamous cell epithelioma of glans penis with early latent syphilis, 904
Atrophoderma: See Atrophy
Atrophy: See also Acrodermatitis chronica atrophicans; Poikiloderma atrophicans vasculare; and under names of organs and regions, as Face; Nerves, optic; Tongue; etc.
atrophoderma with telangiectasia, 1089
lichen planus (new clinical type showing atrophy), 1045
localized, of skin; case for diagnosis, 406
macular, 173
macular (Schweninger and Buzzi), 173
multiple benign tumor-like new growths of skin (Schweninger and Buzzi) associated with syphilis, 407
pseudoatrophoderma colli, 718
Aurotherapy: See Lupus erythematosus
Autoserotherapy: See Serotherapy and Hemotherapy
Avitaminoses: See under Vitamins
Axilla: See also Sweat Glands
control of axillary hyperhidrosis by aluminum phenolsulfonate, *539

BCG: See under Tuberculosis
Bacillus: See Bacteria
Bacteria: See also Staphylococci; Streptococci; Tubercle Bacillus; Viruses; etc.
bacterial allergy; etiologic factor in dermatitis herpetiformis, *956
Baer, R. L.: Exfoliative dermatitis due to phenobarbital; clinical and postmortem study of case, with review of literature on visceral lesions in cases of drug eruptions, *473

Balanitis: See under Penis
Baldness: See Alopecia
Barbital and Barbital Derivatives, exfoliative dermatitis due to phenobarbital; clinical and postmortem study of case, with review of literature on visceral lesions in cases of drug eruptions, *473
fixed eruptions from various drugs and other agents; polyvalent specific sensitivity, *672
Barney, B. F.: Ainhum; case for diagnosis, 578
Barr, J. W.: Acrodynia, 1031
Epithelioma, 1030
Barwasser, N. C.: Keratosis follicularis (Darier's disease), 1087
Nonpigmented acanthosis nigricans; case for diagnosis, 1085
Baths, toilet soaps, soap substitutes and hard water; study of various combinations by patch tests, *299
Bazin's Disease: See Erythema induratum
Bechet, P. E.: Inveterate lupus erythematosus; no improvement after prolonged aurotherapy and bismutherapy, 1043
Keratosis palmaris et plantaris (limited to sharply defined areas), 1046
Becker, F. T.: Juvenile xanthoma; case for diagnosis, 429
Knuckle pads, 430
Leukaemia cutis, 431
Lichen planus sclerosus et atrophicus, 430
Lupus vulgaris (tumidus), 432
Mycosis fungoides; lupus erythematosus, 432
Pityriasis rubra pilaris, 429
Xanthoma tuberosum multiplex, 429
Becker, S. W.: Annular sarcoid; case for diagnosis, 1058
Generalized telangiectasia, 1077, 1090
Behrman, H. T.: Xanthoma eruptivum (xanthoma diabeticorum), *927
Beinhauer, L. G.: Clinical response of certain dermatologic diseases to sulfathiazole, *621
Lupus erythematosus in adolescent girl, 1022
Xanthoma tuberosum multiplex, 1032
Benedek, T.: American leishmaniasis, 1093
Besnier-Boeck's Disease: See Sarcoid
Biopsy: See Cancer
Bismarsen: See Bismuth and Bismuth Compounds
Bismuth and Bismuth Compounds, acute necrosis of liver in infants following sodium bismuth thioglycollate administration, 709
arterial embolism of buttocks following intramuscular injection of bismuth subsalicylate, 715
fixed eruptions from various drugs and other agents; polyvalent specific sensitivity, *672
lupus erythematosus discoides; bismuth intoxication, 910
purpura haemorrhagica following neoarsphenamine and bismarsen therapy; further studies on sensitivity to arsphenamine and tolerance to mapharsen, 391
Therapy: See under names of various diseases, i. e., Lupus erythematosus; Syphilis; etc.
Blank, I. H.: Sulfonated oil as detergent for diseases of skin, *435
Blastomyces dermatitidis, polysaccharides of, 711
Blastomycosis, 198. See also Moniliasis
chromoblastomycosis; new and important blastomycosis in North America; report of case in Philadelphia, *62
severe generalized blastomycetic dermatitis; report of case, *485
Blennorrhagia: See Keratosis blennorrhagica
Blepharochalasis: See Eyelids, diseases
Blood, bactericidal power of blood from patients and normal controls for staphylococci, 711
chemistry, what can dermatology expect from studies of? 856
Diseases: See Anemia; Leukemia; etc.
Blood—Continued
generalized sarcoidosis of Boeck; clinical review of 11 cases with studies of blood and etiologic factors, 391
sugar; neurodermatitis treated with hypoglycemic reactions, *980
transfusion syphilis, 1020
transfusions, tanning from ultraviolet irradiation brought out by, 552
Bloom, D.: Hereditary ectodermal dysplasia of anhidrotic type associated with syndactylia and lichen nitidus, 900
Keloids and radiodermatitis, 864
Bluefarb, S. M.: Annular papular syphilid of tongue, *383
Erythema nodosum of face; report of case, *802
Herpes zoster with aberrant vesicles; report of 20 cases, *385
Boardman, W. P.: Dermatitis herpetiformis, 564
Dermatitis medicamentosa, 176
Gumma of tongue and larynx, 917
Macular atrophy, 173
Macular atrophy (Schweninger and Buzzi), 173
Schamberg's disease; case for diagnosis, 565
Secondary syphilis or sulfanilamide eruption and hepatitis, 571
Tertiary syphilis (skin and frontal bone), 567
Urticaria pigmentosa, 570
Urticaria pigmentosa or xanthoma, 171
Boeck Sarcoid: See Sarcoid
Boenke, R.: Erythema induratum (vascular type), *1010
Boerner-Lukens Test: See under Syphilis

Book Reviews:
Atlas of Commoner Skin Diseases; H. C. G. Semon, 218
Catalysis, Inorganic and Organic; S. Berkman, E. C. Morrell and G. Egloff, 762
Dermatologic Treatment in General Practice; M. B. Sulzberger and J. Wolf, 1097
Diagnosis and Treatment of Diseases of Hair; L. McCarthy, 218
Diseases of Skin; R. L. Sutton and R. L. Sutton Jr., 434
Holt's Diseases of Infancy and Childhood: Textbook for Use of Students and Practitioners; L. E. Holt and J. Howland; revised by L. E. Holt Jr. and R. McIntosh, 761
Hospital Formulary; compiled and edited by faculty members of University of California, 762
Manual of Clinical Chemistry; M. Reiner, 1099
Modern Practice in Leather Manufacture; J. A. Wilson, 1098
Neurosyphilis; C. Worster-Drought, 217
Nociones de dermatologia y sifilografia; V. Pardo-Castello, 761
Paradenolinfitis, enfermedad de Nicolas-Favre linfogranulomatosis venerea; J. May, 217
Practical Handbook of Pathology of Skin; J. M. H. Macleod and I. Muende, 1097
Strange Malady; W. T. Vaughan, 1098
What Are the Vitamins? W. H. Eddy, 1099

Bourneville-Pringle Disease: See Sclerosis, tuberous
Brain: See also Nervous System; etc.
blood supply; certain factors governing incidence of cerebrovascular crises, 708
Syphilis: See under Syphilis
Breast, angioma of, 716
Paget's disease of left breast, 918
Brocq's Disease: See Alopecia cicatrisata
Bromide and Bromine, dermatitis medicamentosa; case for diagnosis, 191

Brown, C. L.: Dermatomyositis or acute scleroderma, 602
Sclerodactylia, 601
Brunsting, L. A.: Dark adaptation in pityriasis rubra pilaris, *42
Bubo, Chancroid: See Chancroid
Climatic: See Lymphogranuloma Venereum
Bubonulus: See Lymphogranuloma Venereum
Bullosis: See Vesication
Buphthalmos: See Hydrophthalmos
Buschke's Disease: See Scleroderma
Bush, J. D.: Severe generalized blastomycetic dermatitis; report of case, *485
Butter; butterfat in dermatitis-producing diets, 1017
Butterworth, T.: Dermatologic aspects of tuberous sclerosis, *1
Buttocks, arterial embolism of buttocks following intramuscular injection of bismuth subsalicylate, 715
lymphogranuloma venereum; report of unusual example involving lymphatic glands of buttock and adjacent regions, *997

Calcaneum, pseudochancre redux; gumma of os calcis; syphilitic periostitis, 735
Callaway, J. L.: Bacterial allergy; etiologic factor in dermatitis herpetiformis, *956
Cancer: See also Adenocarcinoma; Epithelioma; Sarcoma; Tumors; and under names of organs and regions, as Esophagus; Ovary; Tongue; etc.
activating, transforming and carcinogenic effects of rabbit papilloma virus (Shope) on implanted tar tumors, 710
cancers deriving from virus papillomas of wild rabbits under natural conditions, 553
histologic sets on cutaneous cancer now purchasable, 551
influence of serum of guinea pigs immunized with rat sarcoma and carcinoma on growth of tumor cells; study of tumor immunity by tissue culture method, 396
life expectancy and mortality from skin and lip cancer, 852
skin respiration as dermatologic tool, *949
transplantable rabbit carcinoma originating in virus-induced papilloma and containing virus in masked or altered form, 710
Cannabis, irritative action of leaves of African hemp, 395
Capillaries, treatment of psoriasis with lemon citrin (vitamin P), citrin lemonade and ascorbic acid, *536
Carbohydrates: See also Sugar
arsphenamine liver injury modified by diet, protein and carbohydrate protective, but fat injurious, 165
polysaccharides of Blastomyces dermatitidis, 711
Carcinoma: See Cancer
Caro, M. R.: "Histiocytoma cutis" versus "dermatofibroma," 1011
Lichen striatus, *116
Spiegler-Fendt sarcoid (localized form), 1066
Carson, L. J.: Acrodermatitis chronica atrophicans, 586
Castration: See Ovary, radiation
Cells: See Tissue
Cerebrospinal Fluid: See Cisterna Magna, puncture
Cevitamic Acid: See Vitamins, C
Chancre, extragenital, treated with mapharsen by intravenous drip method, 420
Lymphogranulomatous: See Lymphogranuloma Venereum
Soft: See Chancroid
Chancroid, 572
toxic effects of sulfathiazole used in treatment of chancroidal infection, *992
Charache, H.: Pseudoactinomycotic epithelioma of face, *809
Charcot's Joints: See Tabes Dorsalis
Chargin, L.: Cheilitis; case for diagnosis, 749
Early syphilis treated with mapharsen by intravenous drip method, 419
Early syphilis treated with neoarsphenamine by intravenous drip method, 419
Extragenital chancre treated with mapharsen by intravenous drip method, 420
Keratosis follicularis (Darier's disease); vitamin A deficiency disease, *223
Lichenoid fixed arsenical eruption, 426
Cheever, A. W.: Tuberculous cutis orificialis, 182
Cheilitis: See under Lips
Chemotherapy: See Dementia Paralytica
Chest: See Thorax
Chickenpox, herpes zoster abdominalis associated with generalized varicella-like eruption, 598
Choline and Choline Derivatives, axon reflex responses to acetylcholine in skin, 167
liberation of acetylcholine in skin, 168
Chondrodermatitis nodularis chronica helicis, *158, 389
Christian-Weber's Disease: See Panniculitis
Chromatophores: See under Melanin
Chromoblastomycosis: See Blastomycosis
Cicatrix, hypertrophic scars following herpes zoster, 427
neurotic excoriations, 1066
postrhagadic scars, *664
postrhagadic scars of congenital syphilis; nonspecific postrhagadic scars, 216
tinea capitis complicated by cicatrizing alopecia, 1048
Cigars: See Tobacco
Cinchophen and Cinchophen Derivatives, fixed eruptions from various drugs and other agents; polyvalent specific sensitivity, *672
Cipollaro, A. C.: Blastomycosis, 198
Cutis gyrata facialis; case for diagnosis, 896
Lichen planus linearis, 908
Onychomycosis, 190
Pachyonychia congenita, 198
Pyoderma gangraenosum, 860
Cisterna Magna, puncture; survey of reactions following 1,246 punctures, 1016
Citrin: See Flavones
Civatte's Disease: See Poikiloderma
Clark, T. J.: Ichthyosis (embryonic epitrichial layer persistent at birth), 410
Clarke, G. E.: Pili torti; report of case, *836
Clavicle sign (Higoumenakis), 759
Clijat-Petges Disease: See Poikiloderma
Clothing, dermatitis venenata (due to underwear shorts), 719
Cohen, D.: Neurotic excoriations, 1066
Pemphigus vulgaris, 1073
Cold allergy and cold pathergy, *366
Cole, H. N.: Pyoderma faciale, 572, 744
Syphilis of center of face, *943
Colliers' Stripes: See Mines and Miners
Combes, F. C.: Annular papular syphilid of tongue, *383
Keratosis follicularis, 1042
Lichen planus (new clinical type showing atrophy), 1045
Pityriasis lichenoides et varioliformis acuta, 1046
Xanthoma eruptivum (xanthoma diabeticorum), *927
Comedo, severe formations on face (naevus comedonicus), 886
Complement Fixation: See under Syphilis
Congress: See Societies
Conjunctivitis, skin, conjunctival and scleral reactions in course of therapy with sulfathiazole, 392
Conrad, A. H.: Tattoo type blemishes following use of iron salts in treatment of rhus dermatitis, *650

Conrad, A. H., Jr.: Tattoo type blemishes following use of iron salts in treatment of rhus dermatitis, *650
Cook, E. S.: Skin respiration as dermatologic tool, *949
Coomber, R. B.: Granuloma fissuratum, 1070
Sensitization dermatitis or lupus erythematosus, 1077, 1086
Cormia, F. E.: Cutaneous sensitization to arsphenamine; attempts to induce anaphylactic state with different arsphenamines; its production with conjugate arsphenamine antigen, and incidental relation between anaphylactic and cutaneous hypersensitivity, *103
Cornbleet, T.: Acute and subacute disseminated lupus erythematosus; treatment with liver extract, *829
Bullous eruption; case for diagnosis, 1061
Case of sarcoidosis (Schaumann's disease), 1095
Epidermal cysts due to injection of protamine zinc insulin, 1067
Extensive tertiary syphilis, 1059
Moniliasis; case for diagnosis, 1075
Cornea, Inflammation: See Keratitis
Syphilis: See under Keratitis
ulcer; roentgen ray treatment of eye; effect of fractional doses in 100 cases; preliminary report, *92
Correction in report of April 2, 1940 meeting of New York Academy of Medicine, Section of Dermatology and Syphilis (42:957 [Nov.] 1940), 160
Corson, E. F.: Parapsoriasis varioliformis, 605
Cosmetics: See Lipstick
Costello, M. J.: Avitaminosis A (phrynoderma) and vitiligo, 185
Bilateral herpes zoster, 738
Erythema ab igne, 189
Follicular atrophic lichen planus, 738
Fox-Fordyce disease, 417
Generalized granuloma annulare, 184
Hidradenitis suppurativa, 1050
Lichen planus atrophicus, 737
Lymphogranuloma venereum; report of unusual example involving lymphatic glands of buttock and adjacent regions, *997
Perivasculitis nodularis necroticans, 737
Prurigo gestationis, 192, 193
Prurigo mitis, 188
Pseudoxanthoma elasticum and elastorrhexis with associated visual disturbances, 1050
Tinea capitis complicated by cicatrizing alopecia, 1048
Xanthoma diabeticorum and psoriasis, 869
Cranium: See also Frontal Bone
squamous cell epithelioma of mouth with invasion of base of skull, 742
Crawford, G. M.: Avitaminosis G or C; case for diagnosis, 909
Epidermodysplasia verruciformis; case for diagnosis, 179
Leiomyoma of skin, 558
Lichen planus, 181
Necrobiosis lipoidica diabeticorum, 911
Pellagra, 919
Crawford, S.: Pityriasis lichenoides et varioliformis acuta, 1023
Cross, F. E.: Fox-Fordyce disease, 759
Generalized scleroderma treated with dihydrotachysterol, 894
Csillag's Disease: See Dermatitis lichenoides chronica atrophicans
Curtis, G. H.: Case for diagnosis, 211
Dermatomyositis, 742
Granuloma annulare, 203
Lichen nitidus, 209
Nodular tuberculosis of hypoderm or Darier-Roussy sarcoid, 205
Pemphigus erythematodes (Senear-Usher), 201
Cutis Elastica: See Skin, abnormalities
Gyrata Facialis: See Skin, abnormalities
Cylindroma; turban tumor of scalp, 1093
Cysts: See under names of organs and regions, as Synovial Membrane; etc.

Dactylitis: See Fingers and Toes
Dandruff: See Seborrhea
Danlos-Ehlers Syndrome: See Joints; Skin, abnormalities; Tumors
Darier's Disease: See Keratosis follicularis
Darier-Roussy Sarcoid: See Sarcoid
Dark Adaptation: See Eyes, accommodation and refraction
Decker, D. A.: Case for diagnosis, 596
Cheilitis exfoliativa controlled by riboflavin, 591
Morphea or lichen sclerosus et atrophicus, 604
Deficiency Diseases: See Pellagra; Vitamins
Dementia Paralytica, advances in treatment by combined artificial fever and chemotherapy, 554
Dennie, C. C.: Unusual case of lichen planus, *155
Dentifrices, contact dermatitis from teel, *847
De Oreo, G.: Dermatitis medicamentosa following ingestion of allylisopropylbarbituric acid (allonal), 207
Erythema induratum or Darier-Roussy sarcoid with necrotic lesions, 203
Lymphogranuloma venereum; report of unusual example involving lymphatic glands of buttock and adjacent regions, *997
Pityriasis rubra pilaris, 200
Depigmentation: See Pigmentation
Dercum's Disease: See Adiposis Dolorosa
Dermatitis: See also Acrodermatitis; Eczema; Neurodermatitis; etc.
Acneform: See Acne
Arsphenamine: See Arsphenamines
artefacta, case for diagnosis, 915
Atopic: See Eczema; Neurodermatitis
Atrophicans: See Atrophy
butterfat in dermatitis-producing diets, 1017
caused by lipstick in metallic containers, *703
chronic allergic dermatitis, 175
chronic discoid and lichenoid dermatosis in girl, 887
chronic discoid and lichenoid dermatitis in woman, 425
Contact: See Dermatitis venenata
Eczematous: See Eczema
exfoliativa; treatment of Ritter's disease with sulfapyridine; report of case with recovery, 852
exfoliative, due to phenobarbital; clinical and postmortem study of case, with review of literature on visceral lesions in cases of drug eruptions, *473
exfoliative, postarsenical, 213
herpetiformis, 213, 564, 883, 1021, 1065, 1069
herpetiformis; bacterial allergy; etiologic factor in dermatitis herpetiformis, *956
herpetiformis; influence of age on incidence and type of lesions, *248
juxta-articular nodules, tertiary syphilis with aortic insufficiency and dermatitis due to mercupurin, 206
lichenoides chronica atrophicans, 866
Medicamentosa: See also under Drugs; and under names of drugs, as Arsenic and Arsenic Compounds; Arsphenamines; Barbital and Barbital Derivatives; Bismuth and Bismuth Compounds; Phenolphthalein and Phenolphthalein Derivatives; Quinine; Salicyl Compounds; Tryparsamide; etc.
medicamentosa; case for diagnosis, 191
medicamentosa (feen-a-mint), 176
medicamentosa following ingestion of allylisopropylbarbituric acid (allonal), 207
Multiformis: See Dermatitis herpetiformis
Occupational: See Industrial Diseases
of right foot; case for diagnosis, 859

Dermatitis—Continued
"pigeon dermatitis"; vitamin B deficiency state with anemia, 852
Rhus: See Rhus, poisoning
Roentgen Ray: See under Roentgen Rays
Seborrheic: See Seborrhea
simulating subacute lupus erythematosus; treatment by nicotinic acid (vitamin P-P factor), 855
Solar: See under Light
the gods do nod at times, 389
Venenata, 878. See also under Dyes; Nickel; Tar; Wood; etc.
venenata; bullous dermatitis from elastiglass, *548
venenata; contact dermatitis, 209, 1025
venenata; contact dermatitis diagnosed in psychiatric department as neurogenic dermatitis or example of psychosomatic relation, 881
venenata; contact dermatitis due to nail lacquer, *1007
venenata; contact dermatitis from teel, *847
venenata; contact dermatitis from thoroughwort (Eupatorium altissimum), 853
venenata due to stain on wooden handle of kitchen knife, *381
venenata due to underwear shorts, 719
venenata of hands caused by liquid petrolatum in proprietary hair tonic; report of case, *689
Dermatobia Hominis: See Myiasis
Dermatofibroma, *498
versus "histiocytoma cutis," 1011
Dermatofibrosarcoma, progressive and recurrent, 1069
protuberans, 1092
Dermatologic societies, directory of, 219
Dermatology, endocrine glands and their relation to, *763
role of evolution in, *641
trends in American dermatology, *923
Dermatomycosis: See Mycosis, cutaneous
Dermatomyositis, 742, 1024, 1040
acrodermatitis chronica atrophicans or scleroderma, 1026
and systemic lupus erythematosus, 709, 1016
or acute scleroderma, 602
or scleroderma, 1026
Dermatophytosis: See Mycosis, cutaneous; Ringworm
Dermatorrhexis: See Joints; Skin, abnormalities; Tumors
Dermatoses: See Dermatitis; Eczema; Skin, diseases; etc.
Diabetes Mellitus: See also Xanthoma diabeticorum
epidermal cysts due to injection of protamine zinc insulin, 1067
necrobiosis lipoidica diabeticorum, 402, 911, 1053
necrobiosis lipoidica diabeticorum plus arteriosclerosis, 1094
necrobiosis lipoidica; form of granuloma annulare? *822
unusual case of deficiency disease in patient with diabetes mellitus, 1017
vitamin A deficiency in, 166
Diathermy: See Hair, diseases
Dihydrotachysterol, Therapy: See Pemphigus; Scleroderma
Dioxyphenylalanine: See Oxyphenylalanine
Diphtheria, cutaneous; diphtheritic ulcers of skin, 393
pityriasis rosea following injection of antidiphtheritic vaccine; report of case, *1008
Directory of dermatologic societies, 219
of Medical Specialists, 848
Disease, contact dermatitis diagnosed in psychiatric department as neurogenic dermatitis or example of psychosomatic relation, 881
Diuresis and Diuretics, juxta-articular nodules, tertiary syphilis with aortic insufficiency and dermatitis due to mercupurin, 206
Dopa: See Oxyphenylalanine
Dorne, M.: Actinomycosis, 1095
Extensive ulcerated syphilid, 1088
Necrobiosis lipoidica diabeticorum, 1053
Roentgen ray dermatitis, 1072
Downing, J. G.: Mycosis fungoides, 569
Myiasis from third stage larva of Dermatobia hominis, 180
Doyle, G. C.: Neurofibromatosis in mother and 2 children, 433
Pemphigus erythematosus (Senear-Usher), 433
Drant, P.: Urticaria pigmentosa, 597
Driver, J. R.: Pyoderma faciale, 572, 744
Syphilis of center of face, *943
Drugs, Eruptions: See also under names of drugs, as Arsenic and Arsenic Compounds; Arsphenamines; Barbital and Barbital Derivatives; Bismuth and Bismuth Compounds; Phenolphthalein and Phenolphthalein Derivatives; Quinine; Salicyl Compounds; Tryparsamide; etc.
eruptions, fixed, from various drugs and other agents; polyvalent specific sensitivity, *672
eruptions, fixed; report of unusual condition due to sulfanilamide, *692
Ducrey Vaccine: See under Chancroid
Duemling, W. W.: Wetting agents; new synthetic chemicals of use in finer and more efficient topical dermatologic therapy, *264
Duhring's Disease: See Dermatitis herpetiformis
Duodenum, absorption of undigested protein in human beings; absorption from rectum and comparative study of absorption following oral, duodenal and rectal administrations, 392
Durand-Nicolas-Favre's Disease: See Lymphogranuloma Venereum
Dyes, dermatitis from indirect exposure to fur dye; report of case, *698
effect of age on spread of dye in skin of normal, antigenically stimulated, and tuberculous guinea pigs, 710
Dyshidrosis: See under Sweat Glands
Dystrophy: See under Nails

Ear, Monilia albicans infection involving fingers and right ear, 560
Ebert, M. H.: Acrodermatitis chronica atrophicans with tumor formation, 1054
Case for diagnosis, 1060
Fox-Fordyce disease, 1095
Lupus erythematosus disseminatus subacutus, 1055
Parapsoriasis; case for diagnosis, 1056
Syphilitic glossitis and tertiary syphilis of hand, 1096
Ecthyma, prurigo ferox, papulonecrotic tuberculid or eczema, 1027
Ectoderm, growth in epithelium in tegumentary tissues, 393
Ectodermal Defect, hereditary ectodermal and mesodermal dysplasia with syndactylism, 586
hereditary ectodermal dysplasia of anhidrotic type associated with syndactylia and lichen nitidus, 900
Eczema, Hodgkin's disease with eczematoid lesions, 868
infectious eczematoid dermatitis and sulfathiazole, *622
orbicular, 194
prurigo ferox, ecthyma or papulonecrotic tuberculid, 1027
Seborrheic: See Seborrhea
tissue enzymes of liver and thyroid in treatment in dogs, 394
vaccinatum, 1019
venenatum due to elastiglass wrist watch strap, 760
Edema: See Elephantiasis; and under names of organs, as Penis; etc.

EDITORIALS:
Dr. C. Guy Lane honored, 550
Preparation of manuscripts, 550
Transactions of dermatologic societies, 551

Ehlers-Danlos Syndrome: See Joints; Skin, abnormalities; Tumors
Elastiglass Dermatitis: See under Dermatitis; Eczema
Elastorrhexis: See Skin, abnormalities
Electrocoagulation: See under names of various diseases
Elephantiasis: See also Lymphogranuloma Venereum
congenital enlargement of extremities, 164
factitial, 578
Eller, J. J.: Sarcoma arising in organized hematoma resulting from single trauma; report of case, *813
Ellis, F. A.: Lichen planus et acuminatus atrophicans (Feldman); folliculitis decalvans et lichen spinulosis (Little), *628
Necrobiosis lipoidica; form of granuloma annulare? *822
Embolism, arterial, of buttocks following intramuscular injection of bismuth subsalicylate, 715
coronary; complication of syphilitic aortitis, 708
Encephalitis, studies on herpes simplex encephalitis in rabbits; therapeutic effect of vitamin C, sulfanilamide and pitressin, 854
Vegetative: See Acrodynia
Endocarditis, bacterial, and syphilis of aortic valve, 1016
verrucous; disseminated lupus erythematosus; cutaneous manifestation of systemic disease (Libman-Sacks); report of case, 166
Endocrine Glands and their relation to dermatology, *763
experimental thallium alopecia (role of endocrines), 396
Engeler, J. E.: Factitial elephantiasis, 578
Granuloma inguinale, 746
Keratosis blennorrhagica, 585
Kraurosis penis or erythroplasia of Queyrat, 206
Lupus vulgaris, 210
Mycosis fungoides, 204
Urticarial reaction due to tryparsamide, 588
Epidermodysplasia Verruciformis:, See Verruca
Epidermolysis bullosa, 181, 880
bullosa, hereditary; report of case with résumé of literature, 852
erythroderma with epidermolysis in child 10 years old, 1017
Epilepsy, tuberous sclerosis syndrome (epithelioma adenoides cysticum, Recklinghausen's disease and epilepsy), 404, 405
Epinephrine: See Adrenal Preparations
Epithelioma, 1030
adenocarcinoma of stomach with metastasis to liver; basal cell epithelioma of forehead, 734
adenoides cysticum, 595
adenoides cysticum; tuberous sclerosis syndrome (epithelioma adenoides cysticum, Recklinghausen disease and epilepsy), 404, 405
comparison of clinical and pathologic diagnoses of malignant conditions of skin, *532
of penis, 212
pseudoactinomycotic, of face, *809
psoriasis; epitheliomas, possibly from long use of arsenic, 599
squamous cell epithelioma of glans penis with early latent syphilis, 904
squamous cell epithelioma of mouth with invasion of base of skull, 742
treated squamous cell epithelioma of hand, 212
Epithelium, growth in tegumentary tissues, 393
Epstein, E.: Boeck's sarcoid and lichen spinulosis in patient with healing herpes zoster, 875
Dermatitis medicamentosa due to phenolphthalein; case for diagnosis, 713
Erythematous plaques on penis; case for diagnosis, 884
Granuloma annulare of possible tuberculous origin, 878
Kaposi's sarcoma; case for diagnosis, 409
Localized atrophy of skin; case for diagnosis, 406
Pseudoatrophoderma colli, 718
Epstein, N. N.: Dermatitis heretiformis, 883
Dermatitis medicamentosa due to phenolphthalein; case for diagnosis, 713
Scleredema adultorum, 401
Eruptions: See under Arsenic and Arsenic Compounds; Arsphenamines; Drugs; Skin, diseases; etc.
Erysipelas, sulfanilamide in experimental infections with streptococci from scarlet fever and erysipelas, 710
Erysipeloid, 885
sulfathiazole in treatment of, *846
Erythema ab igne, 189
annulare centrifugum, 1051
annulare centrifugum (Darier), 1051
chronic urticaria and transient erythema of right thumb and right index and middle fingers, 1048
early erythema and pigmentation from superficial roentgen therapy, *1004
erythematous plaques on penis, 884
figuratum, 571
induratum, 216
induratum; lupus erythematosus discoides, 559
induratum or Darier-Roussy sarcoid with necrotic lesions, 203
induratum or tertiary syphilis of skin, 570
induratum (vascular type), *1010
induratum with nonsuppurative caseous tuberculosis of cervical lymph node, 576
multiforme bullosum, 897
multiforme bullosum or pemphigus, 188
multiforme, febrile type, 391
multiforme plus lichen nitidus; case for diagnosis, 186
nodosum, close succession of cases of nontuberculous pathogenesis, 165
nodosum in childhood in Turkey, 1018
nodosum of face; report of case, *802
theoretic considerations and clinical use of grenz rays in dermatology, *447
Erythredema: See Acrodynia
Erythroderma, Ichthyosiform: See Ichthyosis
with epidermolysis in child 10 years old, 1017
Erythroplasia of Queyrat: See Genitals; Penis
Esophagus, cancer; occupational dermatitis (oil), 184
Estrogens, kraurosis vulvae treated with estrogen, 756
Exanthem Subitum: See Roseola
Extremities, Blood Supply: See also Raynaud's Disease
blood supply; criteria for classification and diagnosis of peripheral vascular diseases, 391
blood supply; regulation of circulation in skin and muscles of lower extremities, 707
congenital enlargement of, 164
Eyelids, blepharochalasis secondary to rosacea; tertiary syphilis (aortic insufficiency); Parkinson's disease, 1081
Eyes: See also under names of special structures and diseases of eye, as Retina; etc.
accommodation and refraction; dark adaptation in pityriasis rubra pilaris, *42
accommodation and refraction; vitamin A deficiency in diabetes mellitus, 166
and Recklinghausen's neurofibromatosis; report of case, 1018

Eyes—Continued
roentgen ray treatment of eye; effect of fractional doses in 100 cases; preliminary report, *92
treatment of eye, skin and mouth lesions due to vitamin deficiencies, 854

Face, benign lenticular lymphoma (lymphocytoma) of, 395
erythema nodosum of; report of case, *802
hemiatrophy of, 1030
pityriasis versicolor of, 396
pseudoactinomycotic epithelioma of, *809
syphilis of center of, *943
Falk, A.: Dermatitis herpetiformis, 1065
Fat: See also Lipoids
arsphenamine liver injury modified by diet, protein and carbohydrate protective, but fat injurious, 165
effect of liver and pancreas extract on fat synthesis and metabolism, 853
influence of diets of varying fat content on experimentally produced cutaneous infections in white rats, 167
xanthoma tuberosum treated with limited fat diet, 891
Favre-Nicolas' Disease: See Lymphogranuloma Venereum
Febricula: See Fever
Feeblemindedness, Norwegian scabies, *678
Feen-a-Mint: See Phenolphthalein and Phenolphthalein Derivatives
Feer's Disease: See Acrodynia
Feet: See Foot
Feiler, H. B.: Eczema venenatum due to elastiglass wrist watch strap, 760
Feldman, S.: Generalized scleroderma with fibrosis of lungs, 895
Kraurosis vulvae treated with estrogen, 756
Lichen planus (with acuminate and atrophic lesions), 425
Xanthoma tuberosum treated with limited fat diet, 891
Fendt-Spiegler Sarcoid: See Sarcoid
Fever: See also Typhoid; etc.
febrile type of erythema multiforme, 391
symptomatic herpes; sequela of artificially induced fever, 166
Therapeutic: See under Dementia Paralytica; Syphilis; etc.
Fibroma, neurogenic, of skin, 901
Fibrosis, subepidermal, 215
Fifth Venereal Disease: See Granuloma inguinale
Fingers and Toes: See also Foot; Hand
abnormalities; case of hereditary ectodermal and mesodermal dysplasia with syndactylism, 586
abnormalities; hereditary ectodermal dysplasia of anhidrotic type associated with syndactylia and lichen nitidus, 900
chronic urticaria and transient erythema of right thumb and right index and middle fingers, 1048
knuckle pads, 430
Monilia albicans infection involving fingers and right ear, 560
Nails: See Nails
Finnerud, C. W.: Sensitization dermatitis or lupus erythematosus, 1086
Tuberculosis cutis (sarcoid; lupus pernio type or lupus tumidus), 1091
Fisher, A.: Lichen nitidus; case for diagnosis, 1029
Lichen sclerosus et atrophicus, 1025
Tar acne, oil acne, iododerma or acne necrotica, 1028
Fisher, A. A.: Treatment of herpes simplex with moccasin snake venom, *444
Flavones, treatment of psoriasis with lemon citrin (vitamin P), citrin lemonade and ascorbic acid, *536
Flour, pathogenesis of hypersensitiveness to flour and persulfate in flour workers, 856
Folliculitis decalvans et atrophicans (Graham Little); lichen planus spinulosus et atrophicus (lichen planus et acuminatus atrophicus [Feldman]), 727
decalvans et lichen spinulosus (Little); lichen planus et acuminatus atrophicans (Feldman), *628
sycosis vulgaris, seborrheic eczema and radiodermatitis, 195
Foot: See also Fingers and Toes; etc.
dermatitis of right foot; case for diagnosis, 859
ulcers; mal perforans; tabes dorsalis, 561
Fordyce-Fox's Disease: See Fox-Fordyce's Disease
Forehead, adenocarcinoma of stomach with metastasis to liver; basal cell epithelioma of forehead, 734
Fourth Venereal Disease: See Lymphogranuloma Venereum
Fox, H.: Enrique Pedro Fidanza, 1012
Granulomatous lesion of tongue in infants; case for diagnosis, 858
Nevus or melanoma, 1038
Papulonecrotic tuberculid, 1036
Raynaud's disease; radiodermatitis? 1037
Fox-Fordyce's disease, 411, 417, 759, 1095
Franks, A. G.: Familial benign chronic bullous dermatosis, *657
Fraser, J. F.: Localized myxedema following thyroidectomy, 862
Trichophytosis (due to Trichophyton purpureum?), 1041
Freeman, H. E.: Alopecia totalis, 209
Aneurysm of popliteal artery in patient with tertiary syphilis, aortitis and aortic aneurysm, 201
Case of contact dermatitis, 209
Discrete keratosis of dorsa of hands (Michael) or tuberculosis verrucosa cutis, 1081
Erythema induratum or Darier-Roussy sarcoid with necrotic lesions, 203
Factitial elephantiasis, 578
Granuloma inguinale, 746
Granuloma inguinale and secondary syphilis, 1082
Hairy tongue, 740
Hemangioma of lip; response to interstitial irradiation with low intensity radium needles, 582
Juxta-articular nodules, tertiary syphilis with aortic insufficiency and dermatitis due to mercupurin, 206
Keratosis blennorrhagica, 585
Kraurosis penis or erythroplasia of Queyrat, 206
Lichen planus linearis or lichen striatus, 585
Lupus erythematosus disseminatus, 584
Lupus vulgaris, 210
Mycosis fungoides, 204
Myeloid leukemoid reaction, 581
Pityriasis rubra pilaris, 200
Syphilis of center of face, *943
Syphilitic gumma of stomach, 740
Urticarial reaction due to tryparsamide, 588
Varicose ulcer of leg in youth, 741
Frei Reaction: See Lymphogranuloma Venereum
Friedlander, H. M.: Dermatomyositis; case for diagnosis, 1024
Friedman, R.: Herpes zoster abdominalis associated with generalized varicella-like eruption, 598
Fritchey, J., Jr.: Keratosis follicularis (Darier); acne vulgaris of face, 594
Frontal Bone, tertiary syphilis (skin and frontal bone), 567
Fungi: See Actinomycosis; Blastomycosis; Mycosis; Ringworm; Trichophytosis; etc.
Fur, dermatitis from indirect exposure to fur dye; report of case, *698
Furunculosis and sulfathiazole, *623

Galvanotherapy: See under Hair
Garfield, W. T.: Pseudopelade of Brocq; case for diagnosis, 174
Roentgen ray dermatitis; case for diagnosis, 177
Garner, V. C.: Early keratosis follicularis (Darier's disease), 603
Genitals: See also under names of genitals, as Penis; etc.
erythroplasia of Queyrat (in female), 919
Genovese, S.: Occupational dermatitis in cigar makers due to contact with tobacco leaves; report of 3 cases, *257
Gentian Violet, ulcerative reaction from gentian violet in treatment of impetigo contagiosa, 704
Giesen, C. W.: Rosacea or rosacea-like tuberculid, 433
Gingivitis: See under Gums
Ginsberg, J. E.: Dermatitis herpetiformis; case for diagnosis, 1069
Generalized telangiectasia associated with buphthalmos, 1090
Lipomatosis dolorosa (Dercum's disease) for 21 years with rosacea for 18 years, 1096
Necrobiosis lipoidica diabeticorum plus arteriosclerosis, 1094
Glick, A.: Trichophytin; methods of preparation with reference to specific skin-reactive factor, *839
Glicklich, E. A.: Toxic effects of sulfathiazole used in treatment of chancroidal infection, *992
Glicksberg, E. L.: Pili torti; report of case, *836
Glomus Tumors: See under Tumors
Glossitis: See Tongue
Gold and Gold Compounds, Therapy: See also under Lupus erythematosus; etc.
the gods do nod at times, 389
Goldfarb, A. E.: Treatment of psoriasis with lemon citrin (vitamin P), citrin lemonade and ascorbic acid, *536
Goldstein, M. B.: Contact dermatitis, 1025
Goldstein's Disease: See Telangiectasia
Gonadotropic Substances: See Pituitary Preparations
Good, C. K.: Ulcerative reaction from gentian violet in treatment of impetigo contagiosa, 704
Goodman, J.: Multiple hemangiomas, 909
Pseudopelade; vitamin A deficiency, 566
Vitamin A deficiency, with unusual pigmentation, 566
Goodman, M. H.: Dermatitis herpetiformis; influence of age on incidence and type of lesions, *248
Fixed eruptions; report of unusual condition due to sulfanilamide, *692
Gordon, J. H.: Adequate diagnosis of infantile congenital syphilis, *323
Gordon Test: See under Lymphogranuloma
Gottlieb, P. M.: Cold allergy and cold pathergy, *366
Gottron's Disease: See Ichthyosis
Gout, histogenesis of gouty nodes, 395
Graham, P. V.: Acrokeratosis verruciformis (Hopf), *971
Solitary gummatous sporotrichosis of 2 years' duration; report of case, *805
Graham, T. N.: Erythema annulare centrifugum (Darier), 1051
Follicular tuberculid, 416
Pityriasis lichenoides et varioliformis acuta, 415
Psoriasis or parapsoriasis, 196
Purpura annularis telangiectodes; case for diagnosis, 186
Granuloma: See also Lipogranulomatosis
annulare, 203, 885
annulare disseminatum, 877
Granuloma—Continued
annulare, generalized, 184
annulare; necrobiosis lipoidica; form of granuloma annulare? *822
annulare of possible tuberculous origin, 878
fissuratum, 1070
Fungoides: See Mycosis fungoides
granulomatous lesion of tongue in infant, 858
Inguinale, 746, 1076. See also Lymphogranuloma Venereum
inguinale and secondary syphilis, 1082
Lymphadenoid: See Lymphocytoma
Malignant: See Lymphogranuloma
Venereal: See Granuloma inguinale
Graves, J. M.: Rhinoscleroma, 714
Greenbaum, S. S.: Keratosis follicularis (Darier); acne vulgaris of face, 594
Phagedaena geometrica (Brocq); inoculation studies with viable bacteria cultured from lesions of phagedaena geometrica (Brocq) (chronic burrowing ulcer and pyoderma gangraenosum), *775
Greey, P. H.: Laughlen test for syphilis, *317
Grenz Rays: See Roentgen Rays; Skin, diseases
Gross, P.: Chronic discoid and lichenoid dermatosis in girl, 887
Kaposi sarcoma with low grade spindle cell sarcoma, 428
Lichen planus spinulosus et atrophicus, 749
Lichen planus spinulosus et atrophicus (lichen planus et acuminatus atrophicus [Feldman]; folliculitis decalvans et atrophicans [Graham Little]), 727
Lupus erythematosus disseminatus, 424
Nonpellagrous eruptions due to deficiency of vitamin B complex, *504
Pityriasis rubra pilaris, 751
Grund, J. L.: Hidradenitis suppurativa with keloids, 178
Guequierre, J. P.: Pityriasis rosea with lesions on mucous membranes, *1000
Gumma: See also under Calcaneum; Larynx; Stomach; Syphilis, tertiary; Tongue; etc.
solitary gummatous sporotrichosis of 2 years' duration; report of case, *805
Gums, gingival tumor of newborn, 165
Guy, W. H.: Angioma serpiginosum, 1032
Dermatitis herpetiformis, 1021
Lupus erythematosus of scalp; case for diagnosis, 1022
Trends in American dermatology; president's address, *923
György, P.: Dietary treatment of scaly desquamative dermatoses of seborrheic type; experimental foundation, *230; correction, 551

Haag, E. C.: Hyaloma (colloid degeneration), 408
Habermann's Disease: See Pityriasis lichenoides et varioliformis acuta
Hair: See also Alopecia
abnormalities; pili torti; report of case, *836
changes of nerve fibrils in transplantation of hairs, 557
dermatitis of hands caused by liquid petrolatum in proprietary hair tonic; report of case, *689
Diseases: See also Alopecia
diseases; trichorrhexis nodosa, 866
high frequency current in treatment of hypertrichosis, *85
histologic observations on transplantation of hairs in animals, 557
histologic observations on transplantation of hairs in human beings, 557
transplantation of living hairs in animals, 557
transplantation of living hairs on thinly hairy or bald areas in human beings, 557

Hallopeau's Disease: See Acrodermatitis
Hand: See also Fingers and Toes
dermatitis of hands caused by liquid petrolatum in proprietary hair tonic; report of case, *689
small necrotic lesions of left hand and wrist; case for diagnosis, 411
syphilitic glossitis and tertiary syphilis of, 1096
treated squamous cell epithelioma, 212
Hanot's Disease: See Liver, cirrhosis
Hansen's Disease: See Leprosy
Hathaway, J. C.: Dermatitis caused by lipstick in metallic containers, *703
Haxthausen's Disease: See Keratosis
Hay Fever: See Anaphylaxis and Allergy
Heart: See Endocarditis
Hebra's Disease: See Prurigo
Heisel, E. B.: Granuloma inguinale, 746
Granuloma inguinale and secondary syphilis, 1082
Hairy tongue, 740
Lichen planus linearis or lichen striatus, 585
Lupus erythematosus disseminatus, 584
Myeloid leukemoid reaction, 581
Syphilitic gumma of stomach, 740
Hemangioma, linear, cavernous hemangioma, 418
multiple, 909
of lip; response to interstitial irradiation with low intensity radium needles, 582
Hematoma, sarcoma arising in organized hematoma resulting from single trauma; report of case, *813
Hemiatrophy: See under Face
Hemotherapy: See Serotherapy and Hemotherapy
Hemp: See Cannabis
Hepatitis: See Liver, diseases
Herpes simplex; case of unusually extensive, recurrent type, apparently cured after autoserotherapy, *817
simplex; herpetic stomatitis (aphthous stomatitis), *543
simplex; studies on herpes simplex encephalitis in rabbits; therapeutic effect of vitamin C, sulfanilamide and pitressin, 854
simplex; treatment with moccasin snake venom, *444
symptomatic; sequela of artificially induced fever, 166
zoster abdominalis associated with generalized varicella-like eruption, 598
zoster and spinal diseases, 169
zoster; animal inoculation of virus, 169
zoster, bilateral, 738
zoster; Boeck's sarcoid and lichen spinulosis in patient with healing herpes zoster, 875
zoster, hypertrophic scars following, 427
zoster; inoculation experiments on man with zoster virus obtained from inoculated rabbits, 169
zoster, with aberrant vesicles; report of 20 cases, *385
Herrman, M. F.: Cold allergy and cold pathergy, *366
Hidradenitis: See under Sweat Glands
High Frequency Current: See Diathermy
Higoumenakis Sign: See Syphilis
Hill, W. R.: Pityriasis rosea; contagious or infectious disease? *703
Hodgkin's Disease: See Lymphogranuloma
Hollander, L.: Comparative study of serologic tests for syphilis, *311
Dermatitis due to stain on wooden handle of kitchen knife, *381
Holtzman, I. N.: Contact dermatitis due to nail lacquer, *1007
Hopkins, H. H.: Acute disseminated lupus erythematosus; precipitation by roentgen rays and cure with sulfanilamide, *833
Hopkins, J. G.: Incontinentia pigmenti (Bloch-Sulzberger); chromatophore nevus (Naegeli), 1041
Incontinentia pigmenti (Bloch-Sulzberger); melanosis coli degenerativa (H. W. Siemens); chromatophore nevus (Naegeli), 728
Oriental sore, 1033
Vascular nevus with spontaneous involution, 1033
Hormones: See Adrenal Preparations; Androgens; Endocrine Glands; Estrogens; Insulin; etc.
Hospitals, control of impetigo, 552
Hume, E. B.: Parapsoriasis varioliformis, 605
Hussey, M.: Acanthosis nigricans; case for diagnosis, 912
Dermatitis artefacta; case for diagnosis, 915
Hutchinson-Boeck Sarcoid: See Sarcoid
Hyaloma, colloid degeneration, 408
Hydrophthalmos, generalized telangiectasia associated with buphthalmos, 1090
Hydrotachysterol: See Pemphigus
Hyperhidrosis: See Sweat Glands
Hyperpyrexia: See under Dementia Paralytica; Syphilis
Hypertrichosis: See Hair
Hypophysis: See Pituitary Body
Hypothyroidism: See Myxedema
Hypotrichosis: See Alopecia

Ichthyosis, embryonic epitrichial layer persistent at birth, 410
congenital ichthyosiform erythroderma, 1088
Icterus: See Jaundice
Idiocy: See Feeblemindedness
Immunity: See Anaphylaxis and Allergy
Impetigo, 704
contagiosa and sulfathiazole, *623
contagiosa, ulcerative reaction from gentian violet in treatment of, 704
contagiosa, ulcerative reaction to medication for, 160
control of, 552
herpetiformis, grave, definitely cured after roentgenologic castration, 857
Incontinentia Pigmenti: See Pigmentation
Industrial Diseases, occupational dermatitis in cigar makers due to contact with tobacco leaves; report of 3 cases, *257
occupational dermatitis (oil), 184
pathogenesis of hypersensitiveness to flour and persulfate in flour workers, 856
pityriasis rosea; contagious or infectious disease? *703
Infants, newborn, gingival tumor of, 165
Infectious Diseases: See Diphtheria; Syphilis; Typhoid; etc.
Ingels, A. E.: Boeck's sarcoid, 877
Cheilitis exfoliativa, 412
Dermatophytosis with lichenification; case for diagnosis, 876
Granuloma annulare, 885
Granuloma annulare disseminatum, 877
Severe comedo formations on face (naevus comedonicus), 886
Subacute lupus erythematosus, 413
Tuberous sclerosis syndrome (epithelioma adenoides cysticum, Recklinghausen disease and epilepsy), 404, 405
Ingraham, N. R., Jr.: Adequate diagnosis of infantile congenital syphilis, *323
Inguinal Glands: See Lymph Nodes
Injections: See Blood transfusion
Instruments: See Apparatus
Insulin: See also Diabetes Mellitus
epidermal cysts due to injection of protamine zinc insulin, 1067
neurodermatitis treated with hypoglycemic reactions, *980
sugar metabolism in acne vulgaris, and its treatment by insulin, 712

Internal Secretions: See Endocrine Glands
Iodide: See Iodine and Iodine Compounds
Iodine and Iodine Compounds, dermatitis medicamentosa; case for diagnosis, 191
fixed eruptions from various drugs (iodides) and other agents; polyvalent specific sensitivity, *672
tar acne, oil acne, iododerma or acne necrotica, 1028
Iodobismitol: See Syphilis
Iododerma: See under Iodine and Iodine Compounds
Ipomea, fixed eruptions from various drugs and other agents; polyvalent specific sensitivity, *672
Irgang, S.: Lupus erythematosus papularis et nodularis, *281
Iris, systemic sarcoidosis with nodule on right iris, 1084
Iron, tattoo type blemishes following use of iron salts in treatment of rhus dermatitis, *650
Isacen, fixed eruptions from various drugs and other agents; polyvalent specific sensitivity, *672
Itching: See Pruritus
Ivy Poisoning: See Rhus, poisoning

Jacob, F. M.: Dermatitis herpetiformis, 1021
Lupus erythematosus of scalp; case for diagnosis, 1022
Jacobi-Petges' Disease: See Poikiloderma atrophicans vasculare
Jaenicke, K.: Chondrodermatitis nodularis chronica helicis, *158
Jaundice, liver damage after recovery from postarsphenamine jaundice, 709
Johnson, H. H., Jr.: Ascorbic acid and arsphenamine dermatitis; experimental study, *682
Chronic undermining ulceration of skin due to microaerophilic beta hemolytic streptococcus, 576
Contact dermatitis due to nickel, 575
Erythema induratum with nonsuppurative caseous tuberculosis of cervical lymph node, 576
Porokeratosis (Mibelli), 574
Syphilitic osteoperiostitis of left tibia, 580
Joints, dermatorrhexis (Ehlers-Danlos syndrome), 554
Ehlers-Danlos syndrome, 402, 731
Jones, J. W.: Roentgen ray treatment of eye: effect of fractional doses in 100 cases; preliminary report, *92
Juxta-Articular Nodules: See Nodes

Kahn Test: See under Syphilis
Kala-Azar: See Leishmaniasis
Kalz, F.: Theoretic considerations and clinical use of grenz rays in dermatology, *447
Kaposi's Sarcoma: See Sarcoma
Varicelliform Eruption: See Pyoderma
Karp, F. L.: High frequency current in treatment of hypertrichosis, *85
Keddie, F. M.: Keratosis blennorrhagica; case for diagnosis, 871
Keratosis blennorrhagica or psoriasis, 882
Keim, H. L.: George H. Belote, 849
Kelly, R. J.: Alopecia areata (bandlike), 417
Lichen sclerosus et atrophicus, 199
Linear, cavernous hemangioma, 418
Rosacea with keratitis or rosacea-like tuberculid of Lewandowsky, 193
Keloid: See also Cicatrix
and radiodermatitis, 864
hidradenitis suppurativa with keloids, 178
or scleroderma, 407
spontaneous, 1080
xanthoma diabeticorum with lesions resembling keloids, 1043
Keratitis, interstitial, developing during antisyphilitic therapy, 400
rosacea with keratitis or rosacea-like tuberculid of Lewandowsky, 193
Keratoderma: See Keratosis
Keratosis, 588. See also Ichthyosis
acrokeratosis verruciformis (Hopf), *971
avitaminosis A (phrynoderma) and vitiligo, 185
blennorrhagica, 585, 871
blennorrhagica or psoriasis, 882
discrete, of dorsa of hands (Michael) or tuberculosis verrucosa cutis, 1081
follicularis, 1042
follicularis (Darier), 561, 884, 1087
follicularis (Darier); acne vulgaris of face, 594
follicularis; Darier's disease (mother and 4 daughters), 735
follicularis (Darier's disease); vitamin A deficiency disease, *223
follicularis, early (Darier's disease), 603
follicularis, lichen scrofulosum or tuberculids, 914
keratoderma climactericum (Haxthausen), 731
palmaris et plantaris (limited to sharply defined areas), 1046
phrynoderma, 1080
porokeratosis (Mibelli), 574
seborrhoeica: case for diagnosis, 414
Kest, L. H.: Sarcoma arising in organized hematoma resulting from single trauma; report of case, *813
Kesten, B. M.: Ehlers-Danlos syndrome, 731
Kidneys, renal involvement in disseminated lupus erythematosus, 1016
Kirby-Smith, H.: Lichen planus et acuminatus atrophicans (Feldman); folliculitis decalvans et lichen spinulosis (Little), *628
Kirkham, D.: Fatal aplastic anemia following use of mapharsen; report of case, *111
Klauder, J. V.: Dystrophy of nails (mechanical removal an expression of cutaneous neurosis), 590
Klein, H. N.: Lichen planus, 733
Knife, dermatitis due to stain on wooden handle of kitchen knife, *381
Knoll, A. F.: Clinical response of certain dermatologic diseases to sulfathiazole, *621
Knuckle Pads: See Fingers and Toes
Kraurosis: See Penis; Vulva
Krugh, F. J.: Pityriasis rosea; herald plaque on foot and dermatophytosis, 1029
Sarcoid of Boeck, 1027
Kuhlthau, D. G.: Dermatitis medicamentosa; case for diagnosis, 191
Kulchar, G. V.: Erysipeloid, 885
Late, or delayed, reactions to patch tests, *636
Sulfathiazole in treatment of erysipeloid, *846
Kurtin, A.: Lichen nitidus, 750

Labia Majora: See Vulva
Lacquer, contact dermatitis due to nail lacquer, *1007
dermatitis due to stain on wooden handle of kitchen knife, *381
Lane, C. G.: Epidermodysplasia verruciformis or sarcoid, 171
honoring of, 550
Lupus miliaris faciei, 171
Necrobiosis lipoidica diabeticorum, 911
Occupational dermatitis (oil), 184
Poikiloderma vasculare atrophicans, 558
Sarcoid, 558
Scleredema adultorum, 173
Sulfonated oil as detergent for diseases of skin, *435
Larynx, gumma of tongue and larynx, 917
Laughlen Test: See under Syphilis
Lead, poisoning; dermatomyositis and systemic lupus erythematosus, 709
Leifer, W.: Early syphilis treated with mapharsen by intravenous drip method, 419
Early syphilis treated with neoarsphenamine by intravenous drip method, 419

Leifer, W.—Continued
Extragenital chancre treated with mapharsen by intravenous drip method, 420
Sarcoidosis, 898
Leiomyoma, 875
cutis, 1071
of skin, 558
Leishmaniasis, American, 1093
oriental sore, 1033
Lentigo, pigmented unilateral nevus-like lentigo, 410
Leprosy, cytologic studies on globi in leprosy, 1014
Lerner, C.: Role of evolution in dermatology, *641
Leukemia cutis, 431
cutis or myelogenous leukemia, 733
eruptions associated with, 857
myelogenous, or leukaemia cutis, 733
myeloid leukemoid reaction, 581
Leukocytes: See Leukemia
Leukoderma: See Vitiligo
Leukoplakia: See Tongue
Lever, W. F.: Action of dihydrotachysterol in chronic pemphigus, *341
Levin, E. A.: Arterial embolism of buttocks following intramuscular injection of bismuth subsalicylate, 715
Comparison of clinical and pathologic diagnoses of malignant conditions of skin, *532
Early syphilis resistant to neosalvarsan and responding to mapharsen, 397
Edema of penis due to syphilis or lymphogranuloma venereum, 399
Interstitial keratitis developing during antisyphilitic therapy, 400
Secondary syphilis, resistant to 5 day treatment with mapharsen, 873
Levin, O. L.: Purpura annularis telangiectodes (Majocchi's disease) or Kaposi's sarcoma, 902
Recklinghausen disease; neurofibromas of optic nerves, 908
Lewis, G. M.: Purpura annularis telangiectodes; case for diagnosis, 867
Trichorrhexis nodosa, 866
Libman-Sacks' Disease: See Endocarditis, verrucous
Lichen nitidus, 209, 750, 1029, 1049
nitidus; hereditary ectodermal dysplasia of anhidrotic type associated with syndactylia and lichen nitidus, 900
nitidus plus erythema multiforme; case for diagnosis, 186
planus, 181, 559, 588, 733, 734
planus atrophicus, 737
planus et acuminatus atrophicans (Feldman); folliculitis decalvans et lichen spinulosis (Little), *628
planus, follicular atrophic, 738
planus involving palms and soles, 910
planus linearis, 908
planus linearis or lichen striatus, 585
planus; new clinical type showing atrophy, 1045
planus or pellagra, 917
planus or psoriasis, 733
planus sclerosus et atrophicus, 430
planus spinulosus et atrophicus, 749
planus spinulosus et atrophicus (lichen planus et acuminatus atrophicus [Feldman]; folliculitis decalvans et atrophicans [Graham Little]), 727
planus, unusual case, *155
planus with acuminate and atrophic lesions, 425
planus with involvement of palms and soles, 875
planus zosteriformis with palmar lesions, 896
sclerosus et atrophicus, 199, 1025
sclerosus et atrophicus or morphea, 604
scrofulosum, keratosis follicularis or tuberculids, 914
Lichen—Continued
spinulosis and Boeck's sarcoid in patient with healing herpes zoster, 875
striatus, *116
striatus or lichen planus linearis, 585
Lichenification: See Neurodermatitis
Light: See also Ultraviolet Rays; etc.
sensitization dermatitis or lupus erythematosus, 1077, 1086
toxicity; dermatitis simulating subacute lupus erythematosus; treatment by nicotinic acid (vitamin P-P factor), 855
treatment of psoriasis with photosensitizing agents; results with sulfanilamide, *99
urticaria solaris; review of literature and report of case, *607
Lingua: See Tongue
Lipids: See Lipoids
Lipogranulomatosis and lupus erythematosus, 726
panniculitis, 725
Lipoidosis: See Lipoids; Xanthoma
Lipoids: See also Fat
lipoid proteinosis; report of case, *134
necrobiosis lipoidica diabeticorum, 402, 911, 1053
necrobiosis lipoidica diabeticorum plus arteriosclerosis, 1094
necrobiosis lipoidica; form of granuloma annulare? *822
Lipoma, unusual location, 215
Lips, cheilitis; case for diagnosis, 749
cheilitis exfoliativa, 412
cheilitis exfoliativa controlled by riboflavin, 591
diseases; perlèche (faulechen, anguli foetidi) as complication of scarlet fever, 556
extragenital chancre treated with mapharsen by intravenous drip method, 420
hemangioma of; response to interstitial irradiation with low intensity radium needles, 582
life expectancy and mortality from skin and lip cancer, 852
postrhagadic scars, *664
postrhagadic scars of congenital syphilis; nonspecific postrhagadic scars, 216
Lipstick, dermatitis caused by lipstick in metallic containers, *703
Liver, acute necrosis in infants following sodium bismuth thioglycollate administration, 709
adenocarcinoma of stomach with metastasis to liver; basal cell epithelioma of forehead, 734
arsphenamine liver injury modified by diet, protein and carbohydrate protective, but fat injurious, 165
cirrhosis, vascular "spider" associated with, 1014
damage after recovery from postarsphenamine jaundice, 709
diseases; secondary syphilis or sulfanilamide eruption and hepatitis, 571
effect of liver and pancreas extract on fat synthesis and metabolism, 853
Extracts: See Lupus erythematosus
tissue enzymes of liver and thyroid in treatment of eczema in dogs, 394
Livingood, C. S.: Lupus erythematosus profundus with severe systemic involvement; papulonecrotic tuberculid, 592
Loveman, A. B.: Acrokeratosis verruciformis (Hopf), *971
Ludy, J. B.: Epithelioma adenoides cysticum, 595
Lymphangioma circumscriptum, 597
Luetin Test: See under Syphilis
Lukens-Boerner Test: See under Syphilis
Lungs, generalized scleroderma with fibrosis of, 895
Luotest: See under Syphilis
Lupoid: See Sarcoid

Lupus: See also Tuberculosis
erythematosus, 717, 879
erythematosus, acute and subacute disseminated; treatment with liver extract, *829
erythematosus, acute disseminated; precipitation by roentgen rays and cure with sulfanilamide, *833
erythematosus, allergic and hyperergic manifestation, 555
erythematosus and lipogranulomatosis, 726
erythematosus and sulfathiazole, *623
erythematosus, aurotherapy of, 855
erythematosus; dermatitis simulating subacute lupus erythematosus; treatment by nicotinic acid (vitamin P-P factor), 855
erythematosus; dermatomyositis and systemic lupus erythematosus, 709
erythematosus discoides; bismuth intoxication, 910
erythematosus discoides; erythema induratum, 559
erythematosus, disseminated; cutaneous manifestation of systemic disease (Libman-Sacks); report of case, 166
erythematosus, disseminated, renal involvement in, 1016
erythematosus, disseminated, with visceral involvement, 752
erythematosus disseminatus, 424, 584, 752, 915
erythematosus disseminatus subacutus, 1055
erythematosus, etiologic factors in, 394
erythematosus in adolescent girl, 1022
erythematosus inveterate; no improvement after prolonged aurotherapy and bismutherapy, 1043
erythematosus; mycosis fungoides, 432
erythematosus, nature of, 394
erythematosus of scalp; case for diagnosis, 1022
erythematosus or ringworm of scalp, 595
erythematosus or sensitization dermatitis, 1077, 1086
erythematosus papularis et nodularis, *281
erythematosus profundus with severe systemic involvement; papulonecrotic tuberculid, 592
erythematosus; results of bismuth treatment, 556
erythematosus, subacute, 413
erythematosus, systemic, and dermatomyositis, 1016
erythematosus, tuberculous bacillemia in, 394
miliaris, acneform, of face, 855
miliaris faciei, 171
pernio; tuberculosis cutis (sarcoid, lupus pernio type or lupus tumidus), 1091
tumidus, 893
tumidus; tuberculosis cutis (sarcoid, lupus pernio type or lupus tumidus), 1091
vulgaris, 210, 907
vulgaris (tumidus), 432
vulgaris (tumidus); scrofuloderma; tuberculous adenitis of neck; hematogenous tuberculosis, 1047
Lymph Nodes: See also Lymphogranuloma
erythema induratum with nonsuppurative caseous tuberculosis of cervical lymph node, 576
lupus vulgaris (tumidus); scrofuloderma; tuberculous adenitis of neck; hematogenous tuberculosis, 1047
Lymphangioma circumscriptum, 597
Lymphatic System: See Lymph Nodes
Lymphoblastoma, 734. See also Lymphogranuloma
chronic discoid and lichenoid dermatitis in woman, 425
nodular cutaneous eruption associated with malignant lymphoblastoma, 747
Lymphocytoma, benign lenticular lymphoma (lymphocytoma) of face, 395
Lymphogranuloma: See also Granuloma
Hodgkin's disease with eczematoid lesions, 868
Inguinale: See Granuloma inguinale; Lymphogranuloma Venereum
Lymphogranuloma Venereum, 732
cultivation of virus, 166
etiologic problem of induratio penis plastica, 394
lymphogranuloma inguinale in Iraq, with account of method of treatment, 555
or edema of penis due to syphilis, 399
report of unusual example involving lymphatic glands of buttock and adjacent regions, *997
transmission to guinea pig, 1015
treated with sulfanilamide; observations on 35 cases, 1015
Lynch, F. W.: Benign pemphigus (Hailey and Hailey) treated with sulfathiazole (2-sulfanilamidothiazole), 736

McCarthy, F. P.: Chronic allergic dermatitis, 175
Dermatophytosis with dermatophytids, 567
Epidermolysis bullosa, 181
Tuberculous cutis orificialis, 182
McDonald, F. M.: Ascorbic acid and arsphenamine dermatitis; experimental study, *682
Subcutaneous fibroid nodule of syphilis, 574
MacDonald, W. J.: Erythroplasia of Queyrat (in female), 919
Machacek, G. F.: Incontinentia pigmenti (Bloch-Sulzberger); melanosis corii degenerativa (H. W. Siemens); chromatophore nevus (Naegeli), 728
McLaughlin, R. R. M.: Erythema annulare centrifugum, 1051
Pemphigus erythematodes (Senear-Usher), 191
Madden, J. F.: Adenocarcinoma of stomach with metastasis to liver; basal cell epithelioma of forehead, 734
Atrophic syphilitic glossitis, carcinoma of tongue or leukoplakia, 735
Darier's disease (mother and 4 daughters), 735
Leukaemia cutis or myelogenous leukemia, 733
Lichen planus, 733, 734
Lymphoblastoma; case for diagnosis, 734
Lymphogranuloma venereum, 732
Pseudochancre redux; gumma of os calcis; syphilitic periostitis, 735
Psoriasis or lichen planus, 733
Maddren, R. F.: Circumscribed myxedema; report of 2 cases, *375
Magnesium hydroxide; fixed eruptions from various drugs and other agents; polyvalent specific sensitivity, *672
Majocchi's Disease: See Purpura annularis telangiectodes
Mal Perforans: See Foot, ulcers
Malingering, dystrophy of nails (mechanical removal an expression of cutaneous neurosis), 590
factitial elephantiasis, 578
neurotic excoriations, 1066
Mammary Gland: See Breast
Mapharsen: See Arsphenamines; Syphilis
Marcus, M. D.: Control of axillary hyperhidrosis by aluminum phenolsulfonate, *539
Maynard, M. T.-R.: Keloid or scleroderma, 407
Lupus erythematosus, 717
Mecholyl: See Choline and Choline Derivatives
Medicine, Military; publication of pamphlet on venereal diseases by American Social Hygiene Association, Inc., 163
Meininger, W. M.: Multiple idiopathic hemorrhagic sarcoma (Kaposi's disease), 413
Resistant syphilis, 886
Melanin: See also Melanoma; Pigmentation incontinentia pigmenti (Bloch-Sulzberger); melanosis corii degenerative (H. W. Siemens); chromatophore nevus (Naegeli), 728

Melanoma, melanomatosis of skin and central nervous system in infants; congenital neurocutaneous syndrome, 164
or nevus, 1038
Melanosis: See Melanin; Pigmentation
Meleda Disease: See Keratosis
Mendelsohn, H. V.: Tuberculin sensitivity, 390
Menopause, keratoderma climactericum (Haxthausen), 731
Mental Defectives: See Feeblemindedness
Mercupurin: See Diuresis and Diuretics
Mercury, fixed eruptions from various drugs and other agents; polyvalent specific sensitivity, *672
Mesoderm and Mesodermal Tissues, case of hereditary ectodermal and mesodermal dysplasia with syndactylism, 586
Metals: See also Lead; Mercury; etc.
dermatitis caused by lipstick in metallic containers, *703
Metasyphilis: See Syphilis, congenital
Methylrosaniline: See Gentian Violet
Mibelli's Disease: See Keratosis
Miller, H. E.: Acne urticaria; case for diagnosis, 872
Ehlers-Danlos syndrome, 402
Leiomyoma, 875
Lupus erythematosus; case for diagnosis, 879
Multiple benign tumor-like new growths of skin (Schweninger and Buzzi) associated with syphilis, 407
Papulonecrotic tuberculid, 714
Miller, J. L.: Panniculitis (lipogranulomatosis), 725
Mines and Miners, colliers' stripes; coal miners' dermatosis, 712
Miskjian, H. G.: Case for diagnosis, 739
Moccasin Snake Venom: See under Herpes
Moles: See Nevi
Mongolian Spot: See Pigmentation, cutaneous
Moniliasis, case for diagnosis, 1075
Monilia albicans infection involving fingers and right ear, 560
or psoriasis, 1029
Montgomery, A. H.: Neurogenic fibroma of skin, 901
Montgomery, R. M.: Lichen nitidus, 1049
Morgan, D. B.: Unusual case of lichen planus, *155
Morphea: See Scleroderma
Morris, G. E.: Erythema nodosum of face; report of case, *802
Herpes zoster with aberrant vesicles; report of 20 cases, *385
Morse, J. L.: Dermatitis venenata (due to underwear shorts), 719
Mouth: See also Gums; Stomatitis; etc.
bullous fixed arsenical eruption of, 426
squamous cell epithelioma with invasion of base of skull, 742
treatment of eye, skin and mouth lesions due to vitamin deficiencies, 854
tuberculous cutis orificialis, 182, 716
Mucous Membrane: See also Mouth; Nose; etc.
pityriasis rosea with lesions on, *1000
Muscles, regulation of circulation in skin and muscles of lower extremities, 707
Mycobacterium Leprae: See under Leprosy
Mycosis: See also Actinomycosis; Blastomycosis; Moniliasis; Nails; Ringworm; Stomatitis; Tinea; Trichophytosis; etc.
cutaneous; dermatophytosis with dermatophytids, 567
cutaneous; dermatophytosis with lichenification; case for diagnosis, 876
cutaneous; pityriasis rosea; herald plaque on foot and dermatophytosis, 1029
fungoides, 204, 569, 1045
fungoides d'emblée, 748, 903
fungoides, early; case for diagnosis, 568
fungoides; lupus erythematosus, 432
fungoides, psoriasis, parapsoriasis or psoriasiform seborrheid, 887
Myelosis, Aleukemic: See Leukemia, myelogenous
Myiasis from third stage larva of Dermatobia hominis, 180
Myositis, dermatomyositis or acute scleroderma, 602
Myxedema, circumscribed; report of 2 cases, *375
localized, following thyroidectomy, 862
with xanthomatosis, 214

Nails and nail changes; modern concepts of anatomy and biochemistry of nails, 553
contact dermatitis due to nail lacquer, *1007
dystrophy (mechanical removal an expression of cutaneous neurosis), 590
onychomycosis, 190
pachyonychia congenita, 198
Nares: See Nose
Neck, lupus vulgaris (tumidus); scrofuloderma; tuberculous adenitis of neck; hematogenous tuberculosis, 1047
Necrobiosis lipoidica diabeticorum, 402, 911, 1053
lipoidica diabeticorum plus arteriosclerosis, 1094
lipoidica; form of granuloma annulare? *822
Necrosis: See under Liver
Nelson, L. M.: Postrhagadic scars, *664
Neoarsphenamine: See Arsphenamines; and under names of various diseases, as Syphilis; etc.
Neoplasms: See Cancer; Sarcoma; Tumors
Nephritis, glomerular, following infections of skin, 391
Nerves: See also Paralysis
optic; pathogenesis of syphilitic optic atrophy, 708
Recklinghausen disease; neurofibromas of optic nerves, 908
Nervous System: See also Brain; Nerves; Reflex; etc.
melanomatosis of skin and central nervous system in infants; congenital neurocutaneous syndrome, 164
Syphilis: See Syphilis
Netherton, E. W.: Case for diagnosis, 211
Dermatomyositis, 742
Granuloma annulare, 203
Lichen nitidus, 209
Nodular tuberculosis of hypoderm or Darier-Roussy sarcoid, 205
Pemphigus erythematodes (Senear-Usher), 201
Neurocutaneous Syndrome: See under Nervous System; Skin
Neurodermatitis, dermatophytosis with lichenification; case for diagnosis, 876
personality factors in neurodermite, 554
treated with hypoglycemic reactions, *980
with giant lichenification, 920
Neurofibroma, neurogenic fibroma of skin, 901
Recklinghausen disease; neurofibromas of optic nerves, 908
Neurofibromatosis, congenital enlargement of extremities, 164
in mother and 2 children, 433
Recklinghausen's, and eye; report of case, 1018
tuberous sclerosis syndrome (epithelioma adenoides cysticum, Recklinghausen disease and epilepsy), 404, 405
with malignant thoracic tumor and metastasis in child, 164
Neuroses and Psychoneuroses, dystrophy of nails (mechanical removal an expression of cutaneous neurosis), 590
neurotic excoriations, 1066
Neurosyphilis: See Syphilis

Nevi: See also Angioma
incontinentia pigmenti (Bloch-Sulzberger); chromatophore nevus (Naegeli), 1041
incontinentia pigmenti (Bloch-Sulzberger); melanosis corii degenerative (H. W. Siemens); chromatophore nevus (Naegeli), 728
nevus occurring frequently in Japan, "naevus fuscocaeruleus ophthalmomaxillaris Ōta"; observation on localization, discoloration, distribution and histologic changes, 168
or melanoma, 1038
severe comedo formations on face (naevus comedonicus), 886
urticaria pigmentosa or systematized nevus, 912
Vascular: See Telangiectasia
Newborn Infants: See Infants, newborn
Nicholson, M. A.: Lichen planus sclerosus et atrophicus, 430
Nickel, contact dermatitis due to, 575
Nicolas-Favre Disease: See Lymphogranuloma Venereum
Niles, H. D.: Arsphenamine dermatitis, 413
Chronic urticaria and transient erythema of right thumb and right index and middle fingers, 1048
Dermatitis from indirect exposure to fur dye; report of case, *698
Dermatitis of hands caused by liquid petrolatum in proprietary hair tonic; report of case, *689
Dermatitis seborrhoeica, ariboflavinosis or psoriasis, 724
Keratosis seborrhoeica; case for diagnosis, 414
Leukoderma acquisitum centrifugum; report of case in which central nevi were destroyed and leukodermic haloes then treated with ultraviolet radiation in attempt to restore pigment, *357
Lichen nitidus plus erythema multiforme; case for diagnosis, 186
Synovial cyst, 736
Nipples: See Breast
Nitritoid Crises: See under Tryparsamide
Nodes: See also Erythema nodosum; Panniculitis; etc.
juxta-articular, tertiary syphilis with aortic insufficiency and dermatitis due to mercupurin, 206
Norris, C.: Case of hereditary ectodermal and mesodermal dysplasia with syndactylism, 586
Nose, American leishmaniasis, 1093
tuberculous cutis orificialis, 182
Novy, F. G., Jr.: Angioma of breast, 716
Balanitis xerotica obliterans, 397
Chronic pemphigus controlled by vitamin D, 874
Syringomyelia; case for diagnosis, 713
Nupercaine, late, or delayed, reactions to patch tests, *636
Nutini, L. G.: Skin respiration as dermatologic tool, *949

Obermayer, M. E.: Annular sarcoid; case for diagnosis, 1058
Generalized telangiectasia, 1077, 1090

OBITUARIES:
Belote, George H., 706, 849
Bowen, John Templeton, 163, 386
Fidanza, Enrique P., 163, 1012
Gilmour, Andrew J., 706
Menage, Henry E., 706
Valade, Cyril Kellogg, 851

Occupational Diseases: See Industrial Diseases
Oil; occupational dermatitis (oil), 184
Sulfonated: See Alkyl Sulfates
tar acne, oil acne, iododerma or acne necrotica, 1028
Ointments: See also Rhus, poisoning; Skin, diseases
wetting agents; new synthetic chemicals of use in finer and more efficient topical dermatologic therapy, *264
Old Age, dermatitis herpetiformis; influence of age on incidence and type of lesions, *248
Oliver, E. A.: Case for diagnosis, 1088
Dermatitis herpetiformis; case for diagnosis, 1069
Keratosis follicularis (Darier's disease), 1087
Omens, D. V.: Dermatitis herpetiformis, 1065
Fox-Fordyce disease, 1095
Leiomyoma cutis, 1071
Sarcoidoses, 1057
Syphilitic glossitis and tertiary syphilis of hand, 1096
Omens, H. D.: Case for diagnosis, 1070
Leiomyoma cutis, 1071
Onychia: See Nails
Onychodystrophy: See Nails
Onychomycosis: See Nails
Oppenheim, M.: Neurotic excoriations, 1066
Pemphigus vulgaris, 1073
Oriental Sore: See Leishmaniasis
Ormsby, O. S.: Atrophoderma with telangiectasia, 1089
Cylindroma (turban tumor of scalp), 1093
Xanthoma juvenile, 1093
Os Calcis: See Calcaneum
Osler's Disease: See Telangiectasia
Osteoperiostitis, syphilitic, of left tibia, 580
syphilitic, of right radius and ulna, 580
Ovary, diffuse cutaneous metastatic lesions from ovarian carcinoma, *962
radiation; grave impetigo herpetiformis definitely cured after roentgenologic castration, 857
Oxyphenylalanine, effect of high melanophore hormone fractions on tyrosine and dopa oxidation, 710

Pachyonychia: See under Nails
Paget's Disease of Breast: See under Breast
Pancreas, effect of liver and pancreas extract on fat synthesis and metabolism, 853
Panniculitis; lipogranulomatosis, 725
recurrent, nonsuppurative, nodular, 216
Papilloma, activating, transforming and carcinogenic effects of rabbit papilloma virus (Shope) on implanted tar tumors, 710
cancers deriving from virus papillomas of wild rabbits under natural conditions, 553
transplantable rabbit carcinoma originating in virus-induced papilloma and containing virus in masked or altered form, 710
Paralysis, General: See Dementia Paralytica
Paraphenylenediamine, dermatitis from indirect exposure to fur dye; report of case, *698
Parapsoriasis, case for diagnosis, 1056
or psoriasis, 196
psoriasis, mycosis fungoides or psoriasiform seborrheid, 887
varioliformis, 605
varioliformis or pityriasis lichenoides chronica, 1023
Paresis: See Dementia Paralytica
Parkhurst, H. J.: Chondrodermatitis nodularis chronica helicis, 389
Cyril Kellogg Valade, 851
Toilet soaps, soap substitutes and hard water; study of various combinations by patch tests, *299
Parkinsonism, blepharochalasis secondary to rosacea; tertiary syphilis (aortic insufficiency); Parkinson's disease, 1081
Patch Test: See Anaphylaxis and Allergy
Pathergy: See Anaphylaxis and Allergy
Pathomimesis: See Malingering
Paul, E. I.: Laughlen test for syphilis, *317
Peck, S. M.: Amyloidosis cutis, 904
Keratosis follicularis (Darier's disease); vitamin A deficiency disease, *223
Lichen nitidus, 750

Peck, S. M.—Continued
Lupus vulgaris, 907
Trichophytin; methods of preparation with reference to specific skin-reactive factor, *839
Pellagra, 919. See also Vitamins, B
or lichen planus, 917
Pemphigus, benign (Hailey and Hailey) treated with sulfathiazole (2-sulfanilamidothiazole), 736
bullous eruption, 1061
case for diagnosis, 863, 890
chronic, 1021
chronic, action of dihydrotachysterol in, *341
chronic, controlled by vitamin D, 874
erythematodes (Senear-Usher), 191, 201, 433
metabolic studies on patients with pemphigus, 167
or erythema multiforme bullosum, 188
vulgaris, 1073
vulgaris (early stage), 864
Penis, balanitis xerotica obliterans, 397
chronic balanoposthitis; case for diagnosis, 1079
edema due to syphilis or lymphogranuloma venereum, 399
epithelioma of, 212
erythematous plaques on, 884
etiologic problem of induratio penis plastica, 394
kraurosis penis or erythroplasia of Queyrat, 206
scleroderma in 2 concentric rings on glans and balanopreputial sulcus, 556
squamous cell epithelioma of glans penis with early latent syphilis, 904
Periostitis, syphilitic; pseudochancre redux; gumma of os calcis, 735
Perivasculitis nodularis necroticans, 737
Perlèche: See Lips, diseases
Perlmutter, M.: Fatal aplastic anemia following use of mapharsen; report of case, *111
Perrin, S. R.: Clinical response of certain dermatologic diseases to sulfathiazole, *621
Lupus erythematosus in adolescent girl, 1022
Xanthoma tuberosum multiplex, 1032
Personality factors in neurodermite, 554
Perspiration: See under Sweat Glands
Petges-Jacobi's Disease: See Poikiloderma atrophicans vasculare
Petrolatum, dermatitis of hands caused by liquid petrolatum in proprietary hair tonic; report of case, *689
Phagedaena geometrica (Brocq); inoculation studies with viable bacteria cultured from lesions of phagedaena geometrica (Brocq) (chronic burrowing ulcer and pyoderma gangraenosum), *775
Phalanges: See Fingers and Toes
Phenobarbital: See Barbital and Barbital Derivatives
Phenolphthalein and Phenolphthalein Derivatives, dermatitis medicamentosa due to phenolphthalein; case for diagnosis, 713
dermatitis medicamentosa (feen-a-mint), 176
fixed eruptions from various drugs and other agents; polyvalent specific sensitivity, *672
Phillips, H. T.: Hemiatrophy of face, 1030
Pemphigus (chronic), 1021
Pityriasis lichenoides chronica or parapsoriasis varioliformis, 1023
Photosensitization: See Light; Ultraviolet Rays
Phrynoderma: See Keratosis
Pigmentation: See also Melanin; Nevi; Schamberg's Disease; etc.
and early erythema from superficial roentgen therapy, *1004
cutaneous; mongolian marks, 1018
incontinentia pigmenti (Bloch-Sulzberger); chromatophore nevus (Naegeli), 1041
incontinentia pigmenti (Bloch-Sulzberger); melanosis corii degenerative (H. W. Siemens); chromatophore nevus (Naegeli), 728
Pigmentation—Continued
sensitization dermatitis or lupus erythematosus, 1077, 1086
tattoo type blemishes following use of iron salts in treatment of rhus dermatitis, *650
vitamin A deficiency, with unusual pigmentation, 566
Pili Torti: See Hair, abnormalities
Pillsbury, D. M.: Lupus erythematosus profundus with severe systemic involvement; papulonecrotic tuberculid, 592
Pines, C.: Bullous fixed arsenical eruption of mouth, 426
Pityriasis lichenoides et varioliformis acuta (Habermann), 758
Pink Disease: See Acrodynia
Pinta, White: See Vitiligo
Pitressin: See Pituitary Preparations
Pituitary Body, effect of high melanophore hormone fractions on tyrosine and dopa oxidation, 710
Pituitary Preparations, studies on herpes simplex encephalitis in rabbits; therapeutic effect of vitamin C, sulfanilamide and pitressin, 854
Pityriasis lichenoides chronica (Juliusberg), 758
lichenoides chronica or parapsoriasis varioliformis, 1023
lichenoides et varioliformis acuta, 1023, 1046
lichenoides et varioliformis acuta (Habermann), 415, 758
rosea; contagious or infectious disease? *703
rosea following injection of antidiphtheritic vaccine; report of case, *1008
rosea; herald plaque on foot and dermatophytosis, 1029
rosea with lesions on mucous membranes, *1000
rubra pilaris, 200, 429, 751
rubra pilaris, dark adaptation in, *42
Versicolor: See Tinea versicolor
Plants, contact dermatitis from thoroughwort (Eupatorium altissimum), 853
Plumbism: See Lead, poisoning
Pneumococci, bacterial allergy; etiologic factor in dermatitis herpetiformis, *956
Poikiloderma atrophicans vasculare, 178, 558
Poison Ivy: See Rhus, poisoning
Poisons and Poisoning: See also Dyes; and under names of substances, as Lead; Thallium; etc.
skin respiration as dermatologic tool, *949
Polycythaemia vera with cutaneous manifestations, 870
Polysaccharides: See Carbohydrates
Porokeratosis: See Keratosis
Potassium tartrate; fixed eruptions from various drugs and other agents; polyvalent specific sensitivity, *672
Pregnancy, prurigo gestationis, 192, 193
relief of Raynaud's disease during 2 pregnancies, 855
Prepuce: See Penis
Pringle's Disease: See Sebaceous Glands
Pringle-Bourneville's Disease: See Sclerosis, tuberous
Protein, absorption of undigested protein in human beings; absorption from rectum and comparative study of absorption following oral, duodenal and rectal administrations, 392
arsphenamine liver injury modified by diet, protein and carbohydrate protective, but fat injurious, 165
Prurigo ferox, ecthyma, papulonecrotic tuberculid or eczema, 1027
gestationis, 192, 193
mitis, 188
Pseudoatrophoderma Colli: See Atrophy
Pseudochancre redux; gumma of os calcis; syphilitic periostitis, 735
Pseudopelade: See Alopecia cicatrisata
Pseudoxanthoma elasticum and elastorrhexis with associated visual disturbances, 1050

Psoriasis and epitheliomas, possibly from long use of arsenic, 599
and xanthoma diabeticorum, 869
dermatitis seborrhoeica or ariboflavinosis, 724
multiple benign tumor-like new growths of skin (Schweninger and Buzzi) and psoriasis of scalp, 922
or keratosis blennorrhagica, 882
or lichen planus, 733
or moniliasis, 1029
or parapsoriasis, 196
parapsoriasis, mycosis fungoides or psoriasiform seborrheid, 887
treatment with lemon citrin (vitamin P), citrin lemonade and ascorbic acid, *536
treatment with photosensitizing agents; results with sulfanilamide, *99
vitamin D therapy in dermatology, *145
Psychoneuroses: See Neuroses and Psychoneuroses
Puberty: See Adolescence
Purpura annularis telangiectodes, case for diagnosis, 186, 867
annularis telangiectodes (Majocchi's disease) or Kaposi's sarcoma, 902
haemorrhagica due to arsphenamines, 1016
haemorrhagica due to ingestion of sedormid (allylisopropylacetylcarbamide); experimental observations and report of case, 166
haemorrhagica following neoarsphenamine and bismarsen therapy; further studies on sensitivity to arsphenamine and tolerance to mapharsen, 391
thrombocytopenic, due to sulfapyridine, 1014
Pyoderma faciale, 572, 744
gangraenosum, 860
gangraenosum; phagedaena geometrica (Brocq); inoculation studies with viable bacteria cultured from lesions of phagedaena geometrica (Brocq) (chronic burrowing ulcer and pyoderma gangraenosum), *775
Pyrethrum, contact dermatitis, 1025

Quinine, fixed eruptions from various drugs and other agents; polyvalent specific sensitivity, *672

Radiations: See Roentgen Rays; Ultraviolet Rays; etc.
Radiodermatitis: See under Roentgen Rays
Radium, Therapy: See under names of various organs and diseases, as Lips; etc.
Radius, syphilitic osteoperiostitis of right radius and ulna, 580
Rattner, H.: Actinomycosis, 1095
Bullous eruption; case for diagnosis, 1061
Extensive tertiary syphilis, 1059
Extensive ulcerated syphilid, 1088
Moniliasis; case for diagnosis, 1075
Necrobiosis lipoidica diabeticorum, 1053
Roentgen ray dermatitis, 1072
Raynaud's Disease, case for diagnosis, 211
or radiodermatitis, 1037
relief during 2 pregnancies, 855
Reagins: See under Syphilis
von Recklinghausen's Disease: See Neurofibromatosis
Rectum, absorption of undigested protein in human beings; absorption from rectum and comparative study of absorption following oral, duodenal and rectal administrations, 392
Reflex, axon reflex responses to acetylcholine in skin, 167
pupillary; Adie's syndrome; nonluetic disease simulating tabes dorsalis, 707
Reifler, R.: Dermatitis herpetiformis, 1065
Epidermal cysts due to injection of protamine zinc insulin, 1067
Reiss, H.: Pityriasis rosea following injection of antidiphtheritic vaccine; report of case, *1008
Rendu-Osler's Disease: See Telangiectasia
Respiration, skin respiration as dermatologic tool, *949
Reticuloendothelial System: See Jaundice; Mononucleosis; etc.
Retina, blood supply; pseudoxanthoma elasticum and elastorrhexis with associated visual disturbances, 1050
Rhinoscleroma, 714
Rhus, poisoning; nonallergenic nature of poison ivy smoke, *384
poisoning; tattoo type blemishes following use of iron salts in treatment of rhus dermatitis, *650
Riboflavin: See Vitamins, B
Ringworm: See also Mycosis, cutaneous; Tinea; Trichophytosis; etc.
case for diagnosis, 1072
of scalp or lupus erythematosus, 595
Ritter's Disease: See Dermatitis exfoliativa
Robinson, W. L.: Dermatofibroma, *498
Rockwood, E. M.: Actinomycosis, 910
Roentgen Rays, acute disseminated lupus erythematosus; precipitation by roentgen rays and cure with sulfanilamide, *833
dermatitis, 177, 603, 1072
early erythema and pigmentation from superficial roentgen therapy, *1004
grave impetigo herpetiformis definitely cured after roentgenologic castration, 857
keloids and radiodermatitis, 864
Raynaud's disease; radiodermatitis? 1037
sycosis vulgaris, seborrheic eczema, folliculitis and radiodermatitis, 195
theoretic considerations and clinical use of grenz rays in dermatology, *447
Therapy: See under names of organs, regions and diseases, as Cornea; Eyes; Skin, diseases; etc.
Roentgenotherapy, x-ray quality and skin reaction, 854
Ronchese, F.: Neurodermatitis with giant lichenification, 920
Poikiloderma atrophicans vasculare, 178
Rosen, I.: Chronic ulceration of tongue, 867
Dermatitis lichenoides chronica atrophicans, 866
Trichoepithelioma, 901
Rosenbach's Disease: See Erysipeloid
Rosenberg, E. E.: Erysipeloid, 885
Sulfathiazole in treatment of erysipeloid, *846
Rosenthal, L. H.: Chromoblastomycosis; new and important blastomycosis in North America; report of case in Philadelphia, *62
Early erythema and pigmentation from superficial roentgen therapy, *1004
Roseola, exanthema subitum (roseola infantum), 552
Rostenberg, A.: Chronic discoid and lichenoid dermatitis in woman, 425
Lupus tumidus, 893
Pemphigus; case for diagnosis, 890
Roussy-Darier Sarcoid: See Sarcoid
Ryan, M. L.: Multiple benign tumor-like new growths of skin (Schweninger and Buzzi) and psoriasis of scalp, 922

Sacks-Libman's Disease: See Endocarditis, verrucous
Salicyl Compounds, acetylsalicylic acid; fixed eruptions from various drugs and other agents; polyvalent specific sensitivity, *672
Sarcoid, 172, 558
annular; case for diagnosis, 1058
Boeck's, 877, 1027, 1083
Boeck's, and lichen spinulosis in patient with healing herpes zoster, 875
Darier-Roussy, or nodular tuberculosis of hypoderm, 205
erythema induratum or Darier-Roussy sarcoid with necrotic lesions, 203

Sarcoid—Continued
generalized sarcoidosis of Boeck; clinical review of 11 cases with studies of blood and etiologic factors, 391
or epidermodysplasia verruciformis, 171
sarcoidosis, 898, 1057
sarcoidosis (Schaumann's disease), 1095
Spiegler-Fendt (localized form), 1066
systemic sarcoidosis with nodule on right iris, 1084
tuberculosis cutis (sarcoid, lupus pernio type or lupus tumidus), 1091
Sarcoma: See also Cancer; Tumors; and under names of tumors, as Dermatofibrosarcoma; etc.
arising in organized hematoma resulting from single trauma; report of case, *813
influence of serum of guinea pigs immunized with rat sarcoma and carcinoma on growth of tumor cells; study of tumor immunity by tissue culture method, 396
Kaposi's; case for diagnosis, 409
Kaposi's or purpura annularis telangiectodes (Majocchi's disease), 902
Kaposi's with low grade spindle cell sarcoma, 428
multiple idiopathic hemorrhagic sarcoma (Kaposi's disease), 413
Sayer, A.: Leukoplakia of tongue; smooth atrophy of tongue (nonsyphilitic), 893
Lichen planus zosteriformis with palmar lesions, 896
Pityriasis lichenoides chronica (Juliusberg). 758
Scabies, Norwegian, *678
Scalp, cylindroma (turban tumor), 1903
Diseases: See under names of diseases, as Ringworm; Seborrhea; Tinea; etc.
lupus erythematosus of; case for diagnosis, 1022
lupus erythematosus or ringworm of scalp, 595
multiple benign tumor-like new growths of skin (Schweninger and Buzzi) and psoriasis of scalp, 922
Scarlet fever, perlèche (faulechen, anguli foetidi) as complication of, 556
sulfanilamide in experimental infections with streptococci from scarlet fever and erysipelas, 710
Scars: See Cicatrix
Schamberg's Disease, 563, 565
Schaumann's Sarcoid: See Sarcoid
Schildkraut, J. M.: Generalized scleroderma, 601
Urticaria pigmentosa, 597
Schlesinger, C. R.: Comparative Study of serologic tests for syphilis, *311
Schmidt, O. E. L.: Blepharochalasis secondary to rosacea; tertiary syphilis (aortic insufficiency); Parkinson's disease, 1081
Nodular cutaneous eruption associated with malignant lymphoblastoma, 747
Spontaneous keloids, 1080
Syphilitic osteoperiostitis of right radius and ulna, 580
Systemic sarcoidosis with nodule on right iris, 1084
Schmitt, C. L.: Comparative study of serologic tests for syphilis, *311
Prurigo ferox, ecthyma, papulonecrotic tuberculid or eczema, 1027
Schwartz, G.: Early mycosis fungoides; case for diagnosis, 568
Schwartz, H. J.: Circumscribed myxedema; report of 2 cases, *375
Sclera, skin, conjunctival and scleral reactions in course of therapy with sulfathiazole, 392
Scleredema: See Scleroderma
Sclerema: See Scleroderma
Sclerodactylia: See Scleroderma
Scleroderma, 591
acrodermatitis chronica atrophicans or dermatomyositis, 1026
acute, or dermatomyositis, 602
generalized, 601
generalized, treated with dihydrotachysterol, 894
generalized, with fibrosis of lungs, 895
in 2 concentric rings on glans and balanopreputial sulcus, 556
localized, with bullae, *361
morphea, 1035
morphea or lichen sclerosus et atrophicus, 604
or dermatomyositis, 1026
or keloid, 407
scleredema adultorum, 173, 401, 707
sclerodactylia, 601
Scleroma: See Rhinoscleroma
Sclerosis: See also Arteriosclerosis
tuberous, dermatologic aspects, *1
tuberous sclerosis syndrome (epithelioma adenoides cysticum, Recklinghausen disease and epilepsy), 404, 405
Scrofuloderma: See Tuberculosis
Scrotum, neurodermatitis with giant lichenification, 920
Scull, R. H.: Case for diagnosis, 1072
Dermatofibrosarcoma protuberans, 1092
Granuloma inguinale, 1076
Progressive and recurrent dermatofibrosarcoma, 1069
Sebaceous Glands, dermatologic aspects of tuberous sclerosis, *1
Seborrhea, dermatitis seborrhoeica, ariboflavinosis or psoriasis, 724
dietary treatment of scaly desquamative dermatoses of seborrheic type; experimental foundation, *230; correction, 551
keratosis seborrhoeica; case for diagnosis, 414
psoriasis, parapsoriasis, mycosis fungoides or psoriasiform seborrheid, 887
sycosis vulgaris, seborrheic eczema, folliculitis and radiodermatitis, 195
Secretions, Internal: See Endocrine Glands
Sedormid: See Ureides
Senear, F. E.: Congenital ichthyosiform erythroderma, 1088
"Histiocytoma cutis" versus "dermatofibroma," 1011
Lichen striatus, *116
Senear-Usher Syndrome: See Pemphigus
Senility: See Old Age
Serotherapy and Hemotherapy, herpes simplex; case of unusually extensive, recurrent type, apparently cured after autoserotherapy, *817
Sevringhaus, E. L.: Endocrine glands and their relation to dermatology, *763
Shaffer, B.: Adequate diagnosis of infantile congenital syphilis, *323
Scleroderma, 591
Sharlit, H.: Pemphigus vulgaris (early stage), 864
Sheard, C.: Dark adaptation in pityriasis rubra pilaris, *42
Shellow, H.: Congenital ichthyosiform erythroderma, 1088
Shelmire, B.: Nonallergenic nature of poison ivy smoke, *384
Shelton, J. M.: Lichen sclerosus et atrophicus, 1025
Psoriasis or moniliasis, 1029
Sarcoid of Boeck, 1027
Shepard, J. H.: Case for diagnosis, 588
Sherman, D. S.: Toxic effects of sulfathiazole used in treatment of chancroidal infection, *992
Short Waves: See under names of organs and regions
Shorts, dermatitis venenata (due to underwear shorts), 719

Shumate, C. A.: Dermatitis venenata, 878
Fox-Fordyce disease, 411
Pigmented unilateral nevus-like lentigo, 410
Sliver, H.: Disseminated lupus erythematosus with visceral involvement, 752
Sarcoidosis, 898
Skin: See also Dermatology
Abnormalities: See also Atrophy; Ectodermal Defect; Pigmentation; etc.
abnormalities; cutis gyrata facialis, 896
abnormalities; dermatorrhexis (Ehlers-Danlos syndrome), 554
abnormalities; Ehlers-Danlos syndrome, 402, 731
abnormalities; pseudoxanthoma elasticum and elastorrhexis with associated visual disturbances, 1050
Atrophy: See Atrophy
Blood Supply: See also Capillaries
blood supply; regulation of circulation in skin and muscles of lower extremities, 707
Cancer: See Cancer; Epithelioma; Sarcoma; etc.
comparison of clinical and pathologic diagnoses of malignant conditions of, *532
contact dermatitis diagnosed in psychiatric department as neurogenic dermatitis or example of psychosomatic relation, 881
dermatofibroma, *498
diffuse cutaneous metastatic lesions from ovarian carcinoma, *962
Diseases: See also Dermatitis; and under names of diseases, as Eczema; Herpes; Mycosis, cutaneous; etc.; and under names of plants and drugs, as Arsphenamines; Rhus; etc.
diseases; chronic discoid and lichenoid dermatosis in girl, 887
diseases; chronic discoid and lichenoid dermatitis in woman, 425
diseases; clinical response of certain dermatologic diseases to sulfathiazole, *621
diseases; dietary treatment of scaly desquamative dermatoses of seborrheic type; experimental foundation, *230; correction, 551
diseases; eruptions associated with leukemia, 857
diseases; familial benign chronic bullous dermatosis, *657
diseases; influence of diets of varying fat content on experimentally produced cutaneous infections in white rats, 167
diseases; nonpellagrous eruptions due to deficiency of vitamin B complex, *504
diseases, sulfonated oil as detergent for, *435
diseases; theoretic considerations and clinical use of grenz rays in dermatology, *447
diseases; treatment of eye, skin and mouth lesions due to vitamin deficiencies, 854
diseases; vitamin D therapy in dermatology, *145
diseases; what can dermatology expect from studies of blood chemistry? 856
effect of vitamin C in pyogenic infections of skin in infancy, 1019
epidermal cysts due to injection of protamine zinc insulin, 1067
Gangrene: See Gangrene
glomerular nephritis following infections of skin, 391
growth of epithelium in tegumentary tissues, 393
Hemorrhage: See Purpura
Inflammation: See Dermatitis
leiomyoma of, 558
liberation of acetylcholine in, 168
melanomatosis of skin and central nervous system in infants: congenital neurocutaneous syndrome, 164
multiple benign tumor-like new growths of skin (Schweninger and Buzzi) and psoriasis of scalp, 922
Skin—Continued
neurogenic fibroma of, 901
nodular cutaneous eruption associated with malignant lymphoblastoma, 747
permeability; variations in effectiveness of percutaneously applied androgens in rat, 166
Pigmentation: See under Pigmentation
polycythaemia vera with cutaneous manifestations, 870
reaction and x-ray quality, 854
respiration as dermatologic tool, *949
Syphilis: See Syphilids
trichophytin; methods of preparation with reference to specific skin-reactive factor, *839
Tuberculosis: See Tuberculids; Tuberculosis
Tumors: See under Tumors
Ulcers: See Ulcers
wetting agents; new synthetic chemicals of use in finer and more efficient topical dermatologic therapy, *264
Skull: See Cranium
Slepyan, A. H.: Acrodermatitis chronica atrophicans with tumor formation, 1054
Smallpox, eczema vaccinatum, 1019
local formation of antivaccinial antibodies by skin, 711
studies on infectivity of vaccinal elementary bodies, 712
Snake Venom: See under Herpes
Snow, J. S.: Lipoid proteinosis; report of case, *134
Soaps: See also Alkyl Sulfates
toilet soaps, soap substitutes and hard water; study of various combinations by patch tests, *299
Sobotka, H.: Keratosis follicularis (Darier's disease); vitamin A deficiency disease, *223
Social Hygiene: See Venereal Diseases
Societies, American Academy of Dermatology and Syphilology, annual meeting, 162
American Board of Dermatology and Syphilology, certification by, 161, 706, 848, 1100
American Social Hygiene Association, Inc., publication of venereal disease pamphlet, 163
Association of Dermatosyphilologists of Greater New York, 162
dermatologic, directory of, 219
dermatologic, transactions of, 551
foreign directory of, 219
international, directory of, 219
local, directory of, 221
national, directory of, 219
sectional, directory of, 220
state directory of, 220

Society Transactions:
American Academy of Dermatology and Syphilology, 1085
Bronx Dermatological Society, 419, 748, 887
Chicago Dermatological Society, 1053
Cleveland Dermatological Society, 200, 572, 739, 1079
Manhattan Dermatologic Society, 858
Metropolitan Dermatological Society, 184, 413, 736
Minnesota Dermatological Society, 212, 429, 732
New England Dermatological Society, 171, 558, 909
Metropolitan Dermatological Society, 1048
New York Academy of Medicine, Section of Dermatology and Syphilis, 719, 896
New York Dermatological Society, 1033
Philadelphia Dermatological Society, 590
Pittsburgh Dermatological Society, 1021
San Francisco and Los Angeles Dermatological Societies, 397
San Francisco Dermatological Society, 713, 870

Sodium Bismuthate: See Bismuth and Bismuth Compounds
Specialists, Directory of Medical Specialists, 848
Spence, B. E.: Adequate diagnosis of infantile congenital syphilis, *323
Spiegel, L.: Hypertrophic scars following herpes zoster, 427
Spiegler-Fendt Sarcoid: See Sarcoid
Spine, diseases; zoster and spinal diseases, 169
Spirochaeta Pallida: See Syphilis
Sporotrichosis, solitary gummatous sporotrichosis of 2 years' duration; report of case, *805
Squires, M. T.: Neurodermatitis treated with hypoglycemic reactions, *980
Stamm, C. J.: Diffuse cutaneous metastatic lesions from ovarian carcinoma, *962
Staphylococci, bactericidal power of blood from patients and normal controls for staphylococci, 711
impetigo, 704
Stecker, J. F.: Dermatofibroma, *498
Laughlen test for syphilis, *317
Sternberg, T. H.: Bacterial allergy; etiologic factor in dermatitis herpetiformis, *956
Stewart, R. A.: Acrodynia, 870, 883
Necrobiosis lipoidica diabeticorum; case for diagnosis, 402
Stillians, A. W.: The gods do nod at times, 389
Stomach, adenocarcinoma with metastasis to liver; basal cell epithelioma of forehead, 734
syphilitic gumma of, 740
Stomatitis, herpetic (aphthous stomatitis), *543
Strakosch, E. A.: Postrhagadic scars, *664
Strauss, A.: Lupus erythematosus or ringworm of scalp, 595
Strawberry Nevi: See Angioma
Streptococci, chronic undermining ulceration of skin due to microaerophilic beta hemolytic streptococcus, 576
impetigo, 704
sulfanilamide in experimental infections with streptococci from scarlet fever and erysipelas, 710
Stroud, G. M., III.: Boeck's sarcoid, 1083
Case of hereditary ectodermal and mesodermal dysplasia with syndactylism, 586
Chronic balanoposthitis; case for diagnosis, 1079
Phrynoderma, 1080
Squamous cell epithelioma of mouth with invasion of base of skull, 742
Xanthoma diabeticorum with acromegaly, 583
Sugar metabolism in acne vulgaris, and its treatment by insulin, 712
Sulfanilamide and Sulfanilamide Derivatives, fixed eruptions from various drugs and other agents; polyvalent specific sensitivity, *672
fixed eruptions; report of unusual condition due to sulfanilamide, *692
pharmacology and toxicology of sulfathiazole in man, 165
secondary syphilis or sulfanilamide eruption and hepatitis, 571
skin, conjunctival and scleral reactions in course of therapy with sulfathiazole, 392
Therapy: See Acne; Chancroid; Eczema; Erysipelas; Erysipeloid; Light, toxicity; Lupus erythematosus; Lymphogranuloma Venereum; Psoriasis; Skin, diseases; Streptococci; Sycosis; etc.
thrombocytopenic purpura due to sulfapyridine, 1014
toxic effects of sulfathiazole used in treatment of chancroidal infection, *992
Sulfapyridine: See Dermatitis exfoliativa; Sulfanilamide and Sulfanilamide Derivatives
Sulfates, ulcerative reaction to medication for impetigo, 160
Sulfathiazole: See Sulfanilamide and Sulfanilamide Derivatives
Sulzberger, M. B.: Disseminated lupus erythematosus, 752
Sunburn: See Light, toxicity
Sunlight: See under Light
Suprarenal Preparations: See Adrenal Preparations
Swartz, J. H.: Lichen planus, 559
Lichen planus (involving palms and soles), 910
Tinea versicolor; tinea corporis and tinea cruris, 561
Sweat Glands, control of axillary hyperhidrosis by aluminum phenolsulfonate, *539
hereditary ectodermal dysplasia of anhidrotic type associated with syndactylia and lichen nitidus, 900
hidradenitis suppurativa, 1050
hidradenitis suppurativa with keloids, 178
the gods do not at times, 389
Sweitzer, S. E.: Epithelioma of penis, 212
Erythema induratum, 216
Exfoliative dermatitis, postarsenical, 213
Lipoma, unusual location, 215
Norwegian scabies, *678
Postrhagadic scars of congenital syphilis; nonspecific postrhagadic scars, 216
Recurrent, nonsuppurative, nodular panniculitis, 216
Subepidermal fibrosis, 215
Treated squamous cell epithelioma of hand, 212
Tuberculosis colliquativa, 215
Xanthomatosis with myxedema, 214
Swift-Selter-Feer's Disease: See Acrodynia
Sycosis barbae and sulfathiazole, *624
vulgaris, seborrheic eczema, folliculitis and radiodermatitis, 195
Syndactylia: See Fingers and Toes, abnormalities
Synovial Membrane, cyst, 736
Syphilids, annular papular syphilid of tongue, *383
extensive ulcerated, 1088
Syphilis: See also Chancre; Syphilids; Venereal Diseases; and under names of organs, regions and diseases, as Aortic Valve; Aortitis; etc.
adequate diagnosis of infantile congenital syphilis, *323
arterial embolism of buttocks following intramuscular injection of bismuth subsalicylate, 715
atrophic syphilitic glossitis, carcinoma of tongue or leukoplakia, 735
clavicle sign (Higoumenakis), 759
comparative study of Boerner-Lukens complement fixation test, 708
comparative study of serologic tests, *311
congenital, dental defects in, 164
congenital, in identical twins with dissimilar serologic reactions; report of case, *491
congenital; postrhagadic scars, *664
congenital, postrhagadic scars of; nonspecific postrhagadic scars, 216
cost of, 707
early syphilis resistant to neosalvarsan and responding to mapharsen, 397
early syphilis treated with mapharsen by intravenous drip method, 419
early syphilis treated with neoarsphenamine by intravenous drip method, 419
edema of penis due to syphilis or lymphogranuloma venereum, 399
effect of subcurative arsenical and thermal treatment on development of specific immunity in syphilitic rabbits, 1015
experimental investigation of influence of alimentary acidosis on rabbit syphilis; influence of acidosis on inoculation lesion of back, 1019

Syphilis—Continued
fatal aplastic anemia following use of mapharsen; report of case, *111
from blood transfusion, 1020
influence of arsphenamine treatment on serologic reaction, 1019
interstitial keratitis developing during antisyphilitic therapy, 400
Laughlen test for, *317
liver damage after recovery from postarsphenamine jaundice, 709
multiple benign tumor-like new growths of skin (Schweninger and Buzzi) associated with syphilis, 407
occurrence of positive serologic tests in animals other than man, with review of literature, 1015
of center of face, *943
pathogenesis of syphilitic optic atrophy, 708
presence in syphilitic serum of antibodies to spirochetes, their relation to so-called Wassermann reagin, and their significance for serodiagnosis of, 552
prognosis in syphilitic aortic insufficiency; evaluation of factors other than antisyphilitic treatment, 1016
protective value of bismuth in, 1015
resistant, 886
secondary, and granuloma inguinale, 1082
secondary, or sulfanilamide eruption and hepatitis, 571
secondary, resistant to 5 day treatment with mapharsen, 873
squamous cell epithelioma of glans penis with early latent syphilis, 904
subcutaneous fibroid nodule of, 574
syphilitic osteoperiostitis of left tibia, 580
tertiary; aneurysm of popliteal artery in patient with tertiary syphilis, aortitis and aortic aneurysm, 201
tertiary; blepharochalasis secondary to rosacea; tertiary syphilis (aortic insufficiency); Parkinson's disease, 1081
tertiary, extensive, 1059
tertiary; juxta-articular nodules, tertiary syphilis with aortic insufficiency and dermatitis due to mercupurin, 206
tertiary, of skin or erythema induratum, 570
tertiary (skin and frontal bone), 567
tertiary; syphilitic glossitis and tertiary syphilis of hand, 1096
urticarial reaction due to tryparsamide, 588
Syringomyelia, case for diagnosis, 713

Tabes Dorsalis, Adie's syndrome; nonluetic disease simulating tabes dorsalis, 707
mal perforans, 561
Talbot, J. H.: Action of dihydrotachysterol in chronic pemphigus, *341
Tar acne, oil acne, iododerma or acne necrotica, 1028
Tattoo type blemishes following use of iron salts in treatment of rhus dermatitis, *650
Teel, contact dermatitis from, *847
Teeth, dental defects in congenital syphilis, 164
granuloma fissuratum, 1070
Telangiectasia: See also Angioma; Purpura annularis telangiectodes
generalized, 1077, 1090
generalized, associated with buphthalmos, 1090
macularis eruptiva perstans; case for diagnosis, 404
vascular nevus with spontaneous involution, 1033
vascular "spider" associated with cirrhosis of liver, 1014
with atrophoderma, 1089
Templeton, H. J.: Actinomycosis, 402
Glomus tumor, 719
Localized scleroderma with bullae, *361
Psoriasis, parapsoriasis, mycosis fungoides or psoriasiform seborrheid, 887
Templeton, H. J.—Continued
Small necrotic lesions of left hand and wrist; case for diagnosis, 411
Telangiectasia macularis eruptiva perstans; case for diagnosis, 404
Testosterone: See Androgens
Thallium, experimental alopecia, 396
Thiamine Chloride: See Vitamins, B
Thoroughwort: See Eupatorium altissimum
Thrombocytopenia: See Purpura haemorrhagica
Thumb: See Fingers and Toes
Thurmon, F. M.: Monilia albicans infection involving fingers and right ear, 560
Schamberg's disease, 563
Thyroid: See also Myxedema
tissue enzymes of liver and thyroid in treatment of eczema in dogs, 394
Thyroidectomy, localized myxedema following, 862
Tibia, syphilitic osteoperiostitis of left tibia, 580
Tillim, S. J.: Neurodermatitis treated with hypoglycemic reactions, *980
Tinea: See also Ringworm
capitis complicated by cicatrizing alopecia, 1048
corporis, tinea versicolor and tinea cruris, 561
cruris, tinea versicolor and tinea corporis, 561
Decalvans: See Alopecia areata
versicolor; pityriasis versicolor of face, 396
versicolor, tinea corporis and tinea cruris, 561
Tissue, skin respiration as dermatologic tool, *949
Tobacco, occupational dermatitis in cigar makers due to contact with tobacco leaves; report of 3 cases, *257
Tobin, W. W.: Sarcoidoses, 1057
Toe-Nails: See Nails
Toes: See Fingers and Toes
Tolman, M. M.: Lupus erythematosus discoides; bismuth intoxication, 910
Lupus erythematosus discoides; erythema induratum, 559
Lupus erythematosus disseminatus, 915
Paget's disease of left breast, 918
Urticaria pigmentosa, mixed type (nodular and macular lesions), 562
Urticaria pigmentosa or systematized nevus, 912
Xanthoma diabeticorum, 563
Xanthoma tuberosum multiplex, 563
Tongue, annular papular syphilid of, *383
atrophic syphilitic glossitis, carcinoma of tongue or leukoplakia, 735
chronic ulceration of, 867
granulomatous lesion in infant, 858
gumma of tongue and larynx, 917
hairy, 740
leukoplakia; smooth atrophy of tongue (nonsyphilitic), 893
syphilitic glossitis and tertiary syphilis of hand, 1096
treatment of black hairy tongue (lingua nigra), 555
Torrey, F. A.: Comparison of clinical and pathologic diagnosis of malignant conditions of skin, *532
Contact dermatitis diagnosed in psychiatric department as neurogenic dermatitis or example of psychosomatic relation, 881
Polycythaemia vera with cutaneous manifestations, 870
Toxicodermas: See Dermatitis, venenata; Drugs, eruptions
Transactions of dermatologic societies, 551
Traub, E. F.: Familial benign chronic bullous dermatosis, *657
Morphea, 1035
Trauma, sarcoma arising in organized hematoma resulting from single trauma; report of case, *813

Trichoepithelioma, 901
Trichophytin: See also Trichophytosis
methods of preparation with reference to specific skin-reactive factor, *839
Trichophyton purpureum, trichophytosis due to, 1041
Trichophytosis due to Trichophyton purpureum? 1041
Trichorrhexis Nodosa: See Hair, diseases
Tryparsamide, untoward reactions of, 709
urticarial reaction due to, 588
Tubercle Bacilli: See also Tuberculosis
analysis of tubercle bacillus and its natural products by immune, allergic and anaphylactic tests, 711
Tuberculids: See also under Tuberculosis
follicular, 416
keratosis follicularis or lichen scrofulosum, 914
lupus erythematosus profundus with severe systemic involvement; papulonecrotic tuberculid, 592
papulonecrotic, 714, 1036
papulonecrotic, prurigo ferox, ecthyma or eczema, 1027
rosacea-like, or rosacea, 433
rosacea with keratitis or rosacea-like tuberculid of Lewandowsky, 193
Tuberculin: See under Tuberculosis
Tuberculosis: See also Lymph Nodes
analysis of tubercle bacillus and its natural products by immune, allergic and anaphylactic tests, 711
antibody formation in tuberculous lesion at site of inoculation, 553
case for diagnosis, 1060
colliquativa, 215
cutis (sarcoid, lupus pernio type or lupus tumidus), 1091
effect of age on spread of dye in skin of normal, antigenically stimulated, and tuberculous guinea pigs, 710
erythema induratum with nonsuppurative caseous tuberculosis of cervical lymph node, 576
experimental intracutaneous tuberculosis in white rat, 553
granuloma annulare of possible tuberculous origin, 878
hematogenous; lupus vulgaris (tumidus); scrofuloderma; tuberculous adenitis of neck, 1047
nodular, of hypoderm or Darier-Roussy sarcoid, 205
papulonecrotic, in children, 165
tuberculin sensitivity, 390
tuberculous bacillemia in lupus erythematosus, 394
tuberculous cutis orificialis, 182, 716
verrucosa cutis or discrete keratosis of dorsa of hands (Michael), 1081
Vollmer patch test as routine procedure, 1017
Tulipan, L.: Treatment of psoriasis with photosensitizing agents; results with sulfanilamide, *99
Tumors: See also Adenoma; Angioma; Cancer; Dermatofibroma; Epithelioma; Hemangioma; Lipoma; Lymphangioma; Lymphoblastoma; Melanoma; Papilloma; etc.; and under names of organs and regions, as Lips; Scalp; etc.
acrodermatitis chronica atrophicans with tumor formation, 1054
dermatorrhexis (Ehlers-Danlos syndrome), 554
Ehlers-Danlos syndrome, 402, 731
glomus tumor, 719
influence of serum of guinea pigs immunized with rat sarcoma and carcinoma on growth of tumor cells; study of tumor immunity by tissue culture method, 396
multiple benign tumor-like new growths of skin (Schweninger and Buzzi) and psoriasis of scalp, 922
Twins, congenital syphilis in identical twins with dissimilar serologic reactions; report of case, *491
Typhoid, immunizing methods with typhoid vaccine; antibody production in blood by percutaneous application of typhoid vaccine, 857
Tyrosine, effect of high melanophore hormone fractions on tyrosine and dopa oxidation, 710

Ulcers: See also under names of organs and regions, as Cornea; Foot; Tongue; etc.
chronic ulceration of tongue, 867
chronic undermining ulceration of skin due to microaerophilic beta hemolytic streptococcus, 576
Diphtheritic: See Diphtheria, cutaneous
phagedaena geometrica (Brocq); inoculation studies with viable bacteria cultured from lesions of phagedaena geometrica (Brocq) (chronic burrowing ulcer and pyoderma gangraenosum), *775
ulcerative reaction from gentian violet in treatment of impetigo contagiosa, 704
ulcerative reaction to medication for impetigo, 160
Varicose: See Varicose Veins
Ulna, syphilitic osteoperiostitis of right radius and ulna, 580
Ultrashort Waves: See under names of organs, regions and diseases
Ultraviolet Rays: See also Light
leukoderma acquisitum centrifugum; report of case in which central nevi were destroyed and leukodermic haloes then treated with ultraviolet radiation in attempt to restore pigment, *357
tanning from ultraviolet irradiation brought out by blood transfusion, 552
Therapy: See under names of organs, regions and diseases
treatment of psoriasis with photosensitizing agents; results with sulfanilamide, *99
Umansky, M.: Clavicle sign (Higoumenakis), 759
Underwear: See Clothing
Urbach, E.: Cold allergy and cold pathergy, *366
Diffuse cutaneous metastatic lesions from ovarian carcinoma, *962
Ureides, purpura haemorrhagica due to ingestion of sedormid (allylisopropylacetylcarbamide); experimental observations and report of case, 166
Urticaria, chronic, and transient erythema of right thumb and right index and middle fingers, 1048
cold allergy and cold pathergy, *366
pigmentosa, 570, 597
pigmentosa, mixed type (nodular and macular lesions), 562
pigmentosa or systematized nevus, 912
pigmentosa or xanthoma, 171
solaris; review of literature and report of case, *607
urticarial reaction due to tryparsamide, 588
Usher-Senear Syndrome: See Pemphigus

Vaccines: See under Typhoid
Vaccinia: See Smallpox
van Dyck, L. S.: Erythema multiforme bullosum or pemphigus, 188
Orbicular eczema, 194
Sycosis vulgaris, seborrheic eczema, folliculitis and radiodermatitis, 195
Varicella: See Chickenpox
Varicose Veins, varicose ulcer of leg in youth, 741
Variola: See Smallpox
Varix: See Varicose Veins
Veins, Varicose: See Varicose Veins

Venereal Diseases: See also Chancre; Chancroid; Syphilis
American Social Hygiene Association, Inc., publication of pamphlet on, 163
Venom: See under Herpes
Vero, F.: Occupational dermatitis in cigar makers due to contact with tobacco leaves; report of 3 cases, *257
Verruca, epidermodysplasia verruciformis, 179
epidermodysplasia verruciformis or sarcoid, 171
Tuberculous: See under Tuberculosis
Vesication, herpes zoster with aberrant vesicles; report of 20 cases, *385
localized scleroderma with bullae, *360
Viruses: See also Herpes; Tubercle Bacilli; etc.
activating, transforming and carcinogenic effects of rabbit papilloma virus (Shope) on implanted tar tumors, 710
cancers deriving from virus papillomas of wild rabbits under natural conditions, 553
transplantable rabbit carcinoma originating in virus-induced papilloma and containing virus in masked or altered form, 710
Viscera, disseminated lupus erythematosus with visceral involvement, 752
exfoliative dermatitis due to phenobarbital; clinical and postmortem study of case, with review of literature on visceral lesions in cases of drug eruptions, *473
Vision: See also Eyes, accommodation and refraction
pseudoxanthoma elasticum and elastorrhexis with associated visual disturbances, 1050
Vitamins, A; avitaminosis A (phrynoderma) and vitiligo, 185
A; dark adaptation in pityriasis rubra pilaris, *42
A; deficiency in diabetes mellitus, 166
A; deficiency, with unusual pigmentation, 566
A; keratosis follicularis (Darier's disease); vitamin A deficiency disease, *223
A; phrynoderma, 1080
A; pseudopelade; vitamin A deficiency, 566
avitaminosis G or C; case for diagnosis, 909
B: See also Pellagra
B; cheilitis exfoliativa controlled by riboflavin, 591
B; dermatitis seborrhoeica, ariboflavinosis or psoriasis, 724
B; nonpellagrous eruptions due to deficiency of vitamin B complex, *504
B; "pigeon dermatitis;" vitamin B deficiency state with anemia, 852
B; unusual case of deficiency disease in patient with diabetes mellitus, 1017
C; ascorbic acid and arsphenamine dermatitis; experimental study, *682
C; effect in pyogenic infections of skin in infancy, 1019
C; purpura haemorrhagica due to arsphenamines, 1016
C; studies on herpes simplex encephalitis in rabbits; therapeutic effect of vitamin C, sulfanilamide and pitressin, 854
C; treatment of psoriasis with lemon citrin (vitamin P), citrin lemonade and ascorbic acid, *536
D, chronic pemphigus controlled by, 874
D therapy in dermatology, *145
deficiency; skin respiration as dermatologic tool, *949
dietary, treatment of scaly desquamative dermatoses of seborrheic type; experimental foundation, *230; correction, 551
multiple vitamin deficiency, 918
P: See Flavones
P-P: See Acid, nicotinic
treatment of eye, skin and mouth lesions due to vitamin deficiencies, 854
Vitiligo and avitaminosis A (phrynoderma), 185
leukoderma acquisitum centrifugum; report of case in which central nevi were destroyed and leukodermic haloes then treated with ultraviolet radiation in attempt to restore pigment, *357
Vogel, H. R.: Acrodermatitis chronica atrophicans, scleroderma or dermatomyositis, 1026
Dermatomyositis or scleroderma, 1026
Vollmer Patch Test: See Tuberculosis
Vulva, diseases of, 1014
kraurosis vulvae treated with estrogen, 756

Waldow, I.: Diffuse cutaneous metastatic lesions from ovarian carcinoma, *962
Warts: See Verruca
Wassermann Reaction: See also Syphilis
changes in complement fixation reaction in syphilitic serum produced by addition of acids, alkalies and alcohol to antigen solution, 395
Water, toilet soaps, soap substitutes and hard water; study of various combinations by patch tests, *299
Way, S. C.: Hyaloma (colloid degeneration), 408
Weber-Christian's Disease: See Panniculitis
Weber-Rendu-Osler's Disease: See Telangiectasia
Webster, J. R.: Case for diagnosis, 1070
Granuloma inguinale, 1076
Progressive and recurrent dermatofibrosarcoma, 1069
Weidman, F. D.: Chromoblastomycosis; new and important blastomycosis in North America; report of case in Philadelphia, *62
Weiss, R. S.: Control of axillary hyperhidrosis by aluminum phenolsulfonate, *539
Tattoo type blemishes following use of iron salts in treatment of rhus dermatitis, *650
Wheal: See Urticaria
White, C. J.: John Templeton Bowen, 386
White, S. J.: Impetigo, 704
White, W. F.: Acrodynia, 1031
Epithelioma, 1030
White Spot Disease: See Scleroderma
Wile, U. J.: Lipoid proteinosis; report of case, *134
Wilson, M., Jr.: Dermatologic aspects of tuberous sclerosis, *1
Winer, L. H.: Dermatitis herpetiformis, 213
Norwegian scabies, *678
Xanthomatosis with myxedema, 214
Winer, N. J.: Exfoliative dermatitis due to phenobarbital; clinical and postmortem study of case, with review of literature on visceral lesions in cases of drug eruptions, *473
Wise, F: Lupus vulgaris (tumidus); scrofuloderma; tuberculous adenitis of neck; hematogenous tuberculosis, 1047
Mycosis fungoides, 1045
Xanthoma diabeticorum with lesions resembling keloids, 1043
Wolf, C.: Mycosis fungoides d'emblée, 748, 903
Wolf, J.: Keratoderma climactericum (Haxthausen), 731
Wolk, E.: Congenital syphilis in identical twins with dissimilar serologic reactions; report of case, *491
Wood, dermatitis due to stain on wooden handle of kitchen knife, *381
Woodburne, A. R.: Herpetic stomatitis (aphthous stomatitis), *543
Workmen's Compensation and Insurance: See under Industrial Diseases
Wright, C. S.: Dermatomyositis or acute scleroderma, 602
Herpes zoster abdominalis associated with generalized varicella-like eruption, 598
Pityriasis rosea with lesions on mucous membranes, *1000

Wright, C. S.—Continued
Roentgen ray dermatitis, 603
Sclerodactylia, 601
Vitamin D therapy in dermatology, *145
Wrist, small necrotic lesions of left hand and wrist; case for diagnosis, 411

Xanthoma diabeticorum, 563
diabeticorum and psoriasis, 869
diabeticorum with acromegaly, 583
diabeticorum with lesions resembling keloids, 1043
Xanthoma—Continued
eruptivum (xanthoma diabeticorum), *927
juvenile, 429, 1093
or urticaria pigmentosa, 171
tuberosum multiplex, 429, 563, 1032
tuberosum treated with limited fat diet, 891
xanthomatosis with myxedema, 214
Xanthomatosis: See Xanthoma

Zakon, S. J.: Bullous dermatitis from elastiglass, *548
Zona: See Herpes zoster